



CATALOG
LED INDOOR LIGHTING

auctim.com



auctim.com



auctim.com



DESCRIPTION

New LED lighting: recessed spots, panels, strips and much more.

START

26 may 2022 to 08:00

END DATE

6 june 2022 from 16:30

VIEWING

- Monday May 30 2022 from 10:00 until 12:00
2870 PUURS, RIJKSWEG 19

AUCTIM PARTNER

MOYERSOEN NV











Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452.153.622

ISSUE - COLLECTION

- Monday June 13 2022 from 09:00 until 11:00
2870 PUURS, RIJKSWEG 19

Online bidding only!














Catalog created on 6 june 2022 to 04:00

	Item	Description	Start price
 	1	12 x GU10 Recessed design fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00843	45€
 	2	30 x GU10 Recessed design fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00843	110€
 	3	12 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842	45€
 	4	30 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842	110€
 	5	12 x GU10 Recessed design fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00844	45€




	6	12 x GU10 Recessed design fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00841	55€
	7	30 x GU10 Recessed design fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00841	135€
	8	12 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840	55€
	9	30 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840	135€
	10	10 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00836	75€
	11	20 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00836	150€









 	12	10 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	75€
 	13	20 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	150€
 	14	10 x GU10 Surface mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	85€
 	15	20 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	170€
  	16	10 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	85€
 	17	20 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - sealing IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	170€







	18	6 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328	60€
	19	12 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328	115€
	20	6 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329	60€
	21	12 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329	115€
	22	6 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330	65€
	23	12 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330	125€
















	24	6 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - sealing IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331	65€
	25	12 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - sealing IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331	125€
	26	6 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	65€
	27	12 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	125€
	28	6 x GU10 Surface mounted spot Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	65€
	29	12 x GU10 Surface-mounted spotlight Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	125€









	30	10 x GU10 Surface-mounted spot Fixture thin cylinder sand white - sealing IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834	40€
	31	20 x GU10 Surface-mounted spot Fixture thin cylinder sand white - sealing IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834	80€
	32	10 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833	40€
	33	20 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833	80€
	34	6 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839	60€
	35	12 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839	115€








	36	6 x GU10 Surface mounted spot Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856	60€
	37	12 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856	115€
	38	6 x GU10 Surface-mounted spot Fixture cylinder sand white - sealing IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855	60€
	39	12 x GU10 Surface mounted spot Fixture cylinder sand white - sealing IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855	115€
	40	6 x GU10 Surface-mounted spot Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854	60€
	41	12 x GU10 Surface-mounted spotlight Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854	115€

	42	20 x GU10 recessed luminaire sand white - sealing IP20 - product color sand white - round luminaire tiltable - dim. Ø 90 x 27mm - mounting diameter ø 70mm - material iron - bulb and mounting not included - suitable for indoor use - SKU 00349	25€
	43	50 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	20€
	44	100 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	40€
	45	50 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620	50€
	46	100 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620	95€
	47	50 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621	50€
	48	100 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621	95€




	49	50 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	50€
	50	100 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	95€
	51	50 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660	95€
	52	100 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660	185€
	53	50 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661	95€
	54	100 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661	185€







	55	50 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	95€
	56	100 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	185€
	57	20 x 5 watt SMD LED Recessed spot 3000K - luminous flux 400 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dim. ø 90 x 44 mm - material PC and aluminum and PBT mounting set not included - mounting diameter ø75 mm - lifespan 25,000 hours - voltage 175-265V (50/60hz) - SKU 00686	30€
	58	50 x 5 watt SMD LED Recessed spot 3000K - luminous flux 400 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dim. ø 90 x 44 mm - material PC and aluminum and PBT mounting set not included - mounting diameter ø75 mm - lifespan 25,000 hours - voltage 175-265V (50/60hz) - SKU 00686	70€
	59	100 x 5 watt SMD LED Recessed spot 3000K - luminous flux 400 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dim. ø 90 x 44 mm - material PC and aluminum and PBT mounting set not included - mounting diameter ø75 mm - lifespan 25,000 hours - voltage 175-265V (50/60hz) - SKU 00686	135€







	60	10 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760	30€
	61	20 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760	60€
	62	10 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761	30€
	63	20 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761	60€







	64	10 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762	30€
	65	20 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762	60€
	66	10 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	40€
	67	20 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	80€








	68	10 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764	40€
	69	20 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764	80€
	70	10 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	40€
	71	20 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	80€










	72	10 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	60€
	73	20 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	115€
	74	10 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767	60€
	75	20 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767	115€








	76	10 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumens - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter Ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768	60€
	77	20 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumens - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter Ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768	115€
	78	10 x 12 watt Surface mounted LED Panels waterproof fire resistant with microwave sensor 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - Detected distance of 3-5 meter - 30 seconds on - voltage 165-265V (50/60Hz) - material PC - SKU 00637	75€
	81	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00634	50€
	82	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material	50€








		PC - suitable for wall and ceiling - SKU 00635	
	83	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00636	50€
	84	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00631	50€
	85	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00632	50€
	86	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00633	50€
	87	1 x 20 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED	35€







		Strip plug(s) included	
	88	2 x 20 meters 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	70€
	89	1 x 50 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - luminous flux 280 lumen/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	90	1 x 20 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€
	91	1 x 50 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	92	1 x 20 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€








	93	2 x 20 meters 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	70€
	94	1 x 50 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	95	1 x 20 meter 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	50€
	96	2 x 20 meters 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	100€
	97	1 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	100€






	98	<p>2 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included</p>	195€
	99	<p>2 x LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - not for Neon Led strip - LED Strip not included - SKU 00571</p>	20€
	100	<p>4 x LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - not for Neon Led strip - LED Strip not included - SKU 00571</p>	40€
	101	<p>6 x LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - not for Neon Led strip - LED Strip not included - SKU 00571</p>	55€
	102	<p>3 x LED Strip plug - LED strip not included</p>	10€
	103	<p>3 x LED Strip plug - LED strip not included</p>	10€
	104	<p>6 x LED Strip plug - LED strip not included</p>	20€










	105	6 x LED Strip plug - LED strip not included	20€
	106	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	107	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	108	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	109	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	110	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	111	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours -	100€








		voltage 220-240 V - SMD 2835	
	112	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	113	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	114	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	115	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	65€
	116	2 x 20 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included	125€






	117	1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip	150€
	118	1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip	150€
	119	4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	40€
	120	4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	40€
	121	8 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	80€

	122	8 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	80€
	123	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	124	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	125	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	126	50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	60€
	127	50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	60€
	128	100 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	120€



	129	3 x Neon LED Strip plug - LED strip not included	10€
	130	3 x Neon LED Strip plug - LED strip not included	10€
	131	3 x Neon LED Strip plug - LED strip not included	10€
	132	6 x Neon LED Strip plug - LED strip not included	20€
	133	6 x Neon LED Strip plug - LED strip not included	20€
	134	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	135	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€



	136	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	137	50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	110€
	138	50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	110€