

CATALOG
Indoor lighting



DESCRIPTION

New LED lighting: recessed spots, panels, strips and much more.

START

23 june 2022 to 08:00

END DATE

3 july 2022 from 18:00

VIEWING

- Monday June 27 2022 from 10:00 until 12:00
2870 PUURS, RIJKSWEG 19

AUCTIM PARTNER

MOYERSOEN NV






Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452.153.622

ISSUE - COLLECTION






- Friday July 08 2022 from 10:00 until 12:00
2870 PUURS, RIJKSWEG 19

Online bidding only!






Catalog created on 3 july 2022 to 04:10








| | Item | Description | Start price |
|---|------|--|-------------|
|  | 1 | 1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 45€ |
|  | 2 | 2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 85€ |
|  | 3 | 1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 100€ |
|  | 4 | 1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 45€ |
|  | 5 | 2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 85€ |
|  | 6 | 1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 100€ |










| | | | |
|---|----|--|------|
|  | 7 | 1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 45€ |
|  | 8 | 2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 85€ |
|  | 9 | 1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 | 100€ |
|  | 10 | 1 x 20 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included | 65€ |
|  | 11 | 2 x 20 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included | 125€ |









| | | | |
|---|----|---|------|
|  | 12 | 1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip | 150€ |
|  | 13 | 1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip | 150€ |
|  | 14 | 4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570 | 40€ |
|  | 15 | 4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570 | 40€ |
|  | 16 | 8 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570 | 80€ |

| | | | |
|---|----|--|------|
|  | 17 | 8 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570 | 80€ |
|  | 18 | 20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470 | 25€ |
|  | 19 | 20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470 | 25€ |
|  | 20 | 20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470 | 25€ |
|  | 21 | 50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470 | 60€ |
|  | 22 | 50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470 | 60€ |
|  | 23 | 100 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470 | 120€ |













| | | | |
|---|----|---|-----|
|  | 24 | 3 x Neon LED Strip plug - LED strip not included | 10€ |
|  | 25 | 3 x Neon LED Strip plug - LED strip not included | 10€ |
|  | 26 | 3 x Neon LED Strip plug - LED strip not included | 10€ |
|  | 27 | 6 x Neon LED Strip plug - LED strip not included | 20€ |
|  | 28 | 6 x Neon LED Strip plug - LED strip not included | 20€ |
|  | 29 | 20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469 | 45€ |
|  | 30 | 20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469 | 45€ |










| | | | |
|---|----|--|------|
|  | 31 | 20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469 | 45€ |
|  | 32 | 50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469 | 110€ |
|  | 33 | 50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469 | 110€ |
|  | 34 | 1 x 20 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included | 35€ |
|  | 35 | 2 x 20 meters 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included | 70€ |
|  | 36 | 1 x 50 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - luminous flux 280 lumen/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included | 80€ |



| | | | |
|---|----|---|-----|
|  | 37 | 1 x 20 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included | 35€ |
|  | 38 | 1 x 50 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included | 80€ |
|  | 39 | 1 x 20 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included | 35€ |
|  | 40 | 2 x 20 meters 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included | 70€ |
|  | 41 | 1 x 50 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included | 80€ |
|  | 42 | 1 x 20 meter 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote | 50€ |













| | | | |
|---|----|--|------|
| | | controller included | |
|  | 43 | 2 x 20 meters 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included | 100€ |
|  | 44 | 1 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included | 100€ |
|  | 45 | 2 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included | 195€ |
|  | 46 | 2 x LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - not for Neon Led strip - LED Strip not included - SKU 00571 | 20€ |
|  | 47 | 4 x LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - not for Neon Led strip - LED Strip not included - SKU 00571 | 40€ |

| | | | |
|---|----|---|------|
|  | 48 | 6 x LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - not for Neon Led strip - LED Strip not included - SKU 00571 | 55€ |
|  | 49 | 3 x LED Strip plug - LED strip not included | 10€ |
|  | 50 | 3 x LED Strip plug - LED strip not included | 10€ |
|  | 51 | 6 x LED Strip plug - LED strip not included | 20€ |
|  | 52 | 6 x LED Strip plug - LED strip not included | 20€ |
|  | 53 | 12 x GU10 Recessed design fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00843 | 45€ |
|  | 54 | 30 x GU10 Recessed design fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00843 | 110€ |



| | | | |
|---|----|---|------|
|  | 55 | 12 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842 | 45€ |
|  | 56 | 30 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842 | 110€ |
|  | 57 | 12 x GU10 Recessed design fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00841 | 55€ |
|  | 58 | 12 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840 | 55€ |
|  | 59 | 30 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840 | 135€ |
|  | 60 | 10 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00836 | 75€ |









| | | | |
|--|----|---|------|
|   | 61 | 10 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835 | 75€ |
|   | 62 | 20 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835 | 150€ |
|   | 63 | 10 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838 | 85€ |
|   | 64 | 20 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838 | 170€ |
|   | 65 | 10 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837 | 85€ |
|   | 66 | 20 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - sealing IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837 | 170€ |




| | | | |
|---|----|--|------|
|  | 67 | 6 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328 | 60€ |
|  | 68 | 12 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328 | 115€ |
|  | 69 | 6 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329 | 60€ |
|  | 70 | 12 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329 | 115€ |
|  | 71 | 6 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330 | 65€ |
|  | 72 | 12 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330 | 125€ |









| | | | |
|---|----|--|------|
|  | 73 | 6 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - sealing IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331 | 65€ |
|  | 74 | 12 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - sealing IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331 | 125€ |
|  | 75 | 6 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332 | 65€ |
|  | 76 | 12 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332 | 125€ |
|  | 77 | 6 x GU10 Surface mounted spot Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333 | 65€ |
|  | 78 | 12 x GU10 Surface-mounted spotlight Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333 | 125€ |










| | | | |
|---|----|---|------|
|  | 79 | 10 x GU10 Surface-mounted spot Fixture thin cylinder sand white - sealing IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834 | 40€ |
|  | 80 | 20 x GU10 Surface-mounted spot Fixture thin cylinder sand white - sealing IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834 | 80€ |
|  | 81 | 10 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833 | 40€ |
|  | 82 | 20 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833 | 80€ |
|  | 83 | 6 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839 | 60€ |
|  | 84 | 12 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839 | 115€ |










| | | | |
|---|----|--|------|
|  | 85 | 6 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856 | 60€ |
|  | 86 | 12 x GU10 Surface-mounted spotlight Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856 | 115€ |
|  | 87 | 6 x GU10 Surface-mounted spot Fixture cylinder sand white - sealing IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855 | 60€ |
|  | 88 | 12 x GU10 Surface mounted spot Fixture cylinder sand white - sealing IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855 | 115€ |
|  | 89 | 6 x GU10 Surface-mounted spot Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854 | 60€ |
|  | 90 | 12 x GU10 Surface-mounted spotlight Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854 | 115€ |



| | | | |
|---|----|---|-----|
|  | 91 | 50 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V | 20€ |
|  | 92 | 100 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V | 40€ |
|  | 93 | 50 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620 | 50€ |
|  | 94 | 100 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620 | 95€ |
|  | 95 | 50 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621 | 50€ |
|  | 96 | 100 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621 | 95€ |
|  | 97 | 50 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622 | 50€ |







| | | | |
|---|-----|--|------|
|  | 98 | 100 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622 | 95€ |
|  | 99 | 50 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660 | 95€ |
|  | 100 | 100 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660 | 185€ |
|  | 101 | 50 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661 | 95€ |
|  | 102 | 100 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661 | 185€ |
|  | 103 | 50 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662 | 95€ |

| | | | |
|---|-----|---|------|
|  | 104 | 100 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662 | 185€ |
|  | 105 | 20 x 5 watt SMD LED Recessed spot 3000K - luminous flux 400 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dim. ø 90 x 44 mm - material PC and aluminum and PBT mounting set not included - mounting diameter ø75 mm - lifespan 25,000 hours - voltage 175-265V (50/60hz) - SKU 00686 | 30€ |
|  | 106 | 50 x 5 watt SMD LED Recessed spot 3000K - luminous flux 400 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dim. ø 90 x 44 mm - material PC and aluminum and PBT mounting set not included - mounting diameter ø75 mm - lifespan 25,000 hours - voltage 175-265V (50/60hz) - SKU 00686 | 70€ |
|  | 107 | 100 x 5 watt SMD LED Recessed spot 3000K - luminous flux 400 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dim. ø 90 x 44 mm - material PC and aluminum and PBT mounting set not included - mounting diameter ø75 mm - lifespan 25,000 hours - voltage 175-265V (50/60hz) - SKU 00686 | 135€ |
|  | 108 | 10 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU | 30€ |







| | | | |
|---|-----|--|-----|
| | | 00760 | |
|  | 109 | 20 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760 | 60€ |
|  | 110 | 10 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761 | 30€ |
|  | 111 | 20 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761 | 60€ |
|  | 112 | 10 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762 | 30€ |







| | | | |
|---|-----|--|-----|
|  | 113 | 20 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762 | 60€ |
|  | 114 | 10 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763 | 40€ |
|  | 115 | 10 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumens - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768 | 80€ |
|  | 116 | 10 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764 | 40€ |








| | | | |
|---|-----|--|-----|
|  | 117 | 20 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764 | 80€ |
|  | 118 | 10 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765 | 40€ |
|  | 119 | 20 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765 | 80€ |
|  | 120 | 10 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766 | 60€ |









| | | | |
|---|-----|--|------|
|  | 121 | 20 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766 | 115€ |
|  | 122 | 10 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767 | 60€ |
|  | 123 | 20 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767 | 115€ |
|  | 124 | 10 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumens - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768 | 60€ |



| | | | |
|---|-----|--|------|
|  | 125 | 20 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumens - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768 | 115€ |
|  | 126 | 10 x 12 watt Surface mounted LED Panels waterproof fire resistant with microwave sensor 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - Detected distance of 3-5 meter - 30 seconds on - voltage 165-265V (50/60Hz) - material PC - SKU 00637 | 75€ |
|  | 127 | 10 x 12 watt Surface mounted LED Panels waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00634 | 50€ |
|  | 128 | 10 x 12 watt Surface mounted LED Panels waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00635 | 50€ |
|  | 129 | 10 x 12 watt Surface mounted LED Panels waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00636 | 50€ |



| | | | |
|--|-----|---|-----|
|   | 130 | 10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00631 | 50€ |
|   | 131 | 10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00632 | 50€ |
|   | 132 | 10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00633 | 50€ |