



## CATALOG LED INDOOR LIGHTING

auctim.com



auctim.com



auctim.com



### DESCRIPTION

New LED lighting: recessed spots, panels, strips and much more.

### START

22 september 2022 to 07:00

### END DATE

2 october 2022 from 15:00

### VIEWING

- Monday September 26 2022 from 10:00 until 12:00  
2870 PUURS, RIJKSWEG 19

### AUCTIM PARTNER

#### MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium  
+32 3 827 21 31 - info.moyersoен@auctim.be  
BTW BE 0452.153.622






### ISSUE - COLLECTION

- Monday October 10 2022 from 09:00 until 11:00  
2870 PUURS, RIJKSWEG 19







**Online bidding only!**

Catalog created on 2 october 2022 to 04:00



	Item	Description	Start price
	1	10 x GU10 Surface-mounted spot Fixture thin cylinder sand white - seal IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834	45€
	2	20 x GU10 Surface mounted spot Fixture thin cylinder sand white - seal IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834	85€
	3	10 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833	45€
	4	20 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833	85€
	5	6 x GU10 Surface mounted spot Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839	65€









	6	12 x GU10 Surface mounted spot Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839	125€
	7	6 x GU10 Surface mounted spot Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856	65€
	8	12 x GU10 Surface mounted spot Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856	125€
	9	6 x GU10 Surface mounted spot Fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855	65€
	10	12 x GU10 Surface mounted spot Fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855	125€
	11	6 x GU10 Surface mounted spot Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854	65€









	12	12 x GU10 Surface-mounted spotlight Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854	125€
	13	12 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842	45€
	14	30 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842	110€
	15	12 x GU10 Recessed design fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00841	55€
	16	12 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840	55€
	17	30 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840	135€





	18	10 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00836	75€
	19	10 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	75€
	20	20 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	150€
	21	10 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	85€
	22	20 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	170€
	23	10 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	85€










	24	20 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	170€
	25	6 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328	60€
	26	12 x GU10 Surface mounted spot Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328	115€
	27	6 x GU10 Surface mounted spot Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329	60€
	28	12 x GU10 Surface mounted spot Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329	115€
	29	6 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330	65€



	30	12 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330	125€
	31	6 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331	65€
	32	12 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331	125€
	33	6 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	65€
	34	12 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	125€
	35	6 x GU10 Surface mounted spot Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	65€
















	36	12 x GU10 Surface mounted spot Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	125€
	37	50 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	20€
	38	50 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	20€
	39	100 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	40€
	40	50 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620	50€
	41	100 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620	95€
	42	50 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621	50€





	43	100 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621	95€
	44	50 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	50€
	45	100 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	95€
	46	50 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660	95€
	47	100 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660	185€
	48	50 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661	95€







	49	100 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661	185€
	50	50 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	95€
	51	100 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	185€
	52	10 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760	30€
	53	20 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760	60€







	54	10 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761	30€
	55	20 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761	60€
	56	10 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762	30€
	57	20 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762	60€







	58	10 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	40€
	59	20 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	80€
	60	10 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764	40€
	61	20 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764	80€













	62	10 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	40€
	63	20 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	80€
	64	10 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	60€
	65	20 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	115€



	66	10 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767	60€
	67	20 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767	115€
	68	10 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768	60€
	69	20 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768	115€













 	70	2 x 24 watt Surface mounted LED Panels with Microwave Sensor 4200K - product color white - light color neutral white 4200 Kelvin - luminous flux 1800 lumen - voltage 160-265V - including LED driver - dim. Ø 330 x 98mm - Lifetime 30,000 hours - material steel and acrylic - Detected distance of 1-8 meters - 30sec on - incl. wall mount	20€
 	71	4 x 24 watt Surface mounted LED Panels with Microwave Sensor 4200K - product color white - light color neutral white 4200 Kelvin - luminous flux 1800 lumen - voltage 160-265V - including LED driver - dim. Ø 330 x 98mm - Lifetime 30,000 hours - material steel and acrylic - Detected distance of 1-8 meters - 30sec on - incl. wall mount	40€
 	72	10 x 12 watt Surface mounted LED Panels waterproof fire resistant with microwave sensor 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - Detected distance of 3-5 meter - 30 seconds on - voltage 165-265V (50/60Hz) - material PC - SKU 00637	80€
 	73	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00634	50€
 	74	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00635	50€
















	75	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00636	50€
	76	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00631	50€
	77	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00632	50€
	78	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00633	50€
	79	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€










	80	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	81	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	82	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	83	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	84	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more meter - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	85	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€




	86	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	87	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	88	1 x 20 meter 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included	65€
	89	2 x 20 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included	125€
	90	1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip	150€

	91	<p>1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip</p>	150€
	92	<p>2 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570</p>	20€
	93	<p>4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570</p>	40€
	94	<p>4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570</p>	40€
	95	<p>8 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570</p>	80€
	96	<p>20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470</p>	25€









	97	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	98	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	99	50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	60€
	100	50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	60€
	101	100 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	120€
	102	3 x Neon LED Strip plug - LED strip not included	10€
	103	3 x Neon LED Strip plug - LED strip not included	10€



	104	3 x Neon LED Strip plug - LED strip not included	10€
	105	6 x Neon LED Strip plug - LED strip not included	20€
	106	6 x Neon LED Strip plug - LED strip not included	20€
	107	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	108	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	109	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	110	50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	110€















	111	50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	110€
	112	1 x 20 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€
	113	2 x 20 meters 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	70€
	114	1 x 50 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - luminous flux 280 lumen/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	115	3 x LED Strip plug - LED strip not included	35€
	116	1 x 50 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€





	117	1 x 20 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€
	118	2 x 20 meters 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	70€
	119	1 x 50 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	120	1 x 20 meter 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	50€
	121	2 x 20 meters 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	100€



	122	1 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	100€
	123	2 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	195€
	124	3 x LED Strip plug - LED strip not included	10€
	125	3 x LED Strip plug - LED strip not included	10€
	126	6 x LED Strip plug - LED strip not included	20€
	127	6 x LED Strip plug - LED strip not included	20€