

CATALOG
LED INDOOR LIGHTING

auctim.com



auctim.com



auctim.com



DESCRIPTION

New LED lighting: recessed spots, panels, strips and much more

START

27 october 2022 to 08:00

END DATE

6 november 2022 from 18:00

VIEWING

- Monday October 31 2022 from 10:00 until 12:00
2870 PUURS, RIJKSWEG 19

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452.153.622

ISSUE - COLLECTION

- Monday November 14 2022 from 10:00 until 12:00
2870 PUURS, RIJKSWEG 19






Online bidding only!

Catalog created on 6 november 2022 to 04:04







	Item	Description	Start price
	1	8 x GU10 Surface-mounted spotlight Fixture cylinder sand white rotatable - seal IP20 - product color sand white - dim. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - max 35 watts - SKU 00523	43€
	2	16 x GU10 Surface-mounted spotlight Fixture cylinder sand white rotatable - seal IP20 - product color sand white - dim. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - max 35 watts - SKU 00523	85€
	3	8 x GU10 Surface-mounted spotlight Fixture cylinder sand black rotatable - seal IP20 - product color sand black- dim. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - max 35 watt - SKU 00524	43€
	4	16 x GU10 Surface-mounted spotlight Fixture cylinder sand black rotatable - seal IP20 - product color sand black- dim. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - max 35 watt - SKU 00524	85€
	5	6 x GU10 Surface-mounted spot Fixture double cylinder sand white rotatable - seal IP20 - product color sand white - dim. Ø 55 x 100mm - size wall holder 300 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - max 35 watts - SKU 00847	70€



	6	2 x GU10 Surface-mounted spot Fixture double cylinder sand black rotatable - seal IP20 - product color sand black - dim. Ø 55 x 100mm - size wall holder 300 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - max 35 watts - SKU 00846	24€
	7	2 x GU10 Surface mounted spot Fixture triple cylinder sand white rotatable - seal IP20 - product color sand white - dim. Ø 55 x 100mm - size wall holder 450 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 3 x bulb input - voltage 220-240V - max 35 watts - SKU 00849	30€
	8	6 x GU10 Surface-mounted spot Fixture triple cylinder sand white rotatable - seal IP20 - product color sand white - dim. Ø 55 x 100mm - size wall holder 450 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 3 x bulb input - voltage 220-240V - max 35 watts - SKU 00849	90€
	9	2 x GU10 Surface mounted spot Fixture triple cylinder sand black rotatable - seal IP20 - product color sand black - dim. Ø 55 x 100mm - size wall holder 450 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 3 x bulb input - voltage 220-240V - max 35 watts - SKU 00848	30€
	10	6 x GU10 Surface-mounted spot Fixture triple cylinder sand black rotatable - seal IP20 - product color sand black - dim. Ø 55 x 100mm - size wall holder 450 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included -	90€



		suitable for indoor use - 3 x bulb input - voltage 220-240V - max 35 watts - SKU 00848	
	11	2 x GU10 Square Surface mounted spot Fixture 4 cylinders sand white rotatable - seal IP20 - product color sand white - size Ø 55 x 100mm - size wall holder 250 x 250mm - rotatable 350° and tiltable 90° - material aluminum and iron - fixing included - fitting GU10 - bulb not included - suitable for indoor use - 4 x bulb input - voltage 220-240V - max 35 watts - SKU 00851	45€
	12	4 x GU10 Square Surface mounted spot Fixture 4 cylinders sand white rotatable - seal IP20 - product color sand white - size Ø 55 x 100mm - size wall holder 250 x 250mm - rotatable 350° and tiltable 90° - material aluminum and iron - fixing included - fitting GU10 - bulb not included - suitable for indoor use - 4 x bulb input - voltage 220-240V - max 35 watts - SKU 00851	90€
	13	2 x GU10 Surface-mounted spot Fixture 6 cylinders sand white rotatable - seal IP20 - product color white black - size Ø 55 x 100mm - size wall holder 1200 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - fixing included - fitting GU10 - bulb not included - suitable for indoor use - 6 x bulb input - voltage 220-240V - max 35 watts - SKU 00853	70€
	14	4 x GU10 Surface-mounted spotlight Fixture 6 cylinders sand white rotatable - seal IP20 - product color white black - size Ø 55 x 100mm - size wall holder 1200 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 6 x bulb input - voltage 220-240V - max 35 watts - SKU 00853	140€







 	15	2 x GU10 Surface-mounted spotlight Fixture 6 cylinders sand black rotatable - seal IP20 - product color sand black - size Ø 55 x 100mm - size wall holder 1200 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 6 x bulb input - voltage 220-240V - max 35 watts - SKU 00852	70€
 	16	4 x GU10 Surface-mounted spotlight Fixture 6 cylinders sand black rotatable - seal IP20 - product color sand black - size Ø 55 x 100mm - size wall holder 1200 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - fixing included - fitting GU10 - bulb not included - suitable for indoor use - 6 x bulb input - voltage 220-240V - max 35 watts - SKU 00852	140€
 	17	2 x GU10 Surface mounted spot Fixture rectangular dual fittings sand black tiltable - seal IP20 - product color sand black - dim. 180 x 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - SKU 00345	33€
 	18	4 x GU10 Surface-mounted spot Fixture rectangular dual fittings sand black tiltable - seal IP20 - product color sand black - dim. 180 x 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - SKU 00345	65€
 	19	10 x GU10 Surface-mounted spot Fixture rectangular dual fittings sand black tiltable - seal IP20 - product color sand black - dim. 180 x 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - SKU 00345	160€



	20	2 x GU10 Surface-mounted spot Fixture rectangular dual fittings sand white tiltable - seal IP20 - product color sand white - dim. 180 x 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - SKU 00339	33€
	21	4 x GU10 Surface-mounted spot Fixture rectangular dual fittings sand white tiltable - seal IP20 - product color sand white - dim. 180 x 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - SKU 00339	65€
	22	10 x GU10 Surface-mounted spot Fixture rectangular dual fittings sand white tiltable - seal IP20 - product color sand white - dim. 180 x 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - 2 x bulb input - voltage 220-240V - SKU 00339	160€
	23	10 x GU10 Surface mounted spot Fixture thin cylinder sand white - seal IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834	37€
	24	20 x GU10 Surface mounted spot Fixture thin cylinder sand white - seal IP20 - product color sand white - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00834	70€
	25	10 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833	37€








	26	20 x GU10 Surface-mounted spot Fixture thin cylinder sand black - seal IP20 - product color sand black - dim. Ø 55 x 100mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00833	70€
	27	6 x GU10 Surface mounted spot Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839	60€
	28	12 x GU10 Surface mounted spot Fixture cylinder sand gold and white - seal IP20 - product color sand gold white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00839	120€
	29	6 x GU10 Surface mounted spot Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - fixing included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856	60€
	30	12 x GU10 Surface mounted spot Fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dim. Ø 90 x 140mm - fixing included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00338 0856	120€
	31	6 x GU10 Surface-mounted spotlight Fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855	60€









 	32	12 x GU10 Surface mounted spot Fixture cylinder sand white - seal IP20 - product color sand white - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00336 0855	120€
 	33	6 x GU10 Surface mounted spot Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854	60€
 	34	12 x GU10 Surface-mounted spotlight Fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 90 x 140mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V SKU 00337 0854	120€
 	35	10 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842	40€
 	36	30 x GU10 Recessed design fixture cylinder sand black - seal IP20 - product color sand black - dim. Ø 75 x 42mm - mounting diameter ø 60mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00842	115€
 	37	10 x GU10 Recessed design fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00841	45€
	38	10 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black	45€





		- dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840	
	39	30 x GU10 Recessed design fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 30mm - mounting diameter ø 75mm - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00840	130€
	40	4 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00836	30€
	41	10 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00836	70€
	42	4 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	30€
	43	10 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - fixing included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	70€












	44	20 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00835	150€
	45	4 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	33€
	46	10 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	80€
	47	20 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - sealing IP20 - product color sand white - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00838	155€
	48	4 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	33€
	49	10 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	80€









	50	20 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 80 x 80 x 84mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00837	155€
	51	4 x GU10 Surface-mounted spotlight Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328	40€
	52	12 x GU10 Surface mounted spot Fixture cylinder sand white tiltable - seal IP20 - product color sand white - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00328	115€
	53	4 x GU10 Surface-mounted spotlight Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329	40€
	54	12 x GU10 Surface mounted spot Fixture cylinder sand black tiltable - seal IP20 - product color sand black - dim. Ø 96 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00329	115€
	55	4 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330	40€



	56	12 x GU10 Surface-mounted spot Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00330	115€
	57	4 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331	40€
	58	12 x GU10 Surface-mounted spot Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dim. 98 x 98 x 125mm - mounting included - fitting GU10 - bulb not included - suitable for indoor use - a bulb input - voltage 220-240V - SKU 00331	115€
	59	4 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	40€
	60	12 x GU10 Surface mounted spot Fixture cylinder sand white waterproof - waterproof IP44 - product color sand white - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	115€
	61	4 x GU10 Surface mounted spot Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	40€

	62	12 x GU10 Surface mounted spot Fixture cylinder sand black waterproof - waterproof IP44 - product color sand black - dim. Ø 80 x 95mm - mounting included - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	115€
	63	50 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	20€
	64	100 x GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoor use - voltage 220-240V	40€
	65	50 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620	50€
	66	100 x 7 watt GU10 LED Spot 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00620	95€
	67	50 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621	50€
	68	100 x 7 watt GU10 LED Spot 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00621	95€



	69	50 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	50€
	70	100 x 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	95€
	71	50 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660	95€
	72	100 x 7 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 540 lumen - light color warm white 3000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00660	185€
	73	50 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661	95€
	74	100 x 7 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 540 lumen - light color neutral white 4000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00661	185€







	75	50 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	95€
	76	100 x 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dim. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	185€
	77	10 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760	30€
	78	20 x 9 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 810 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00760	60€
	79	10 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU	30€











		00761	
	80	20 x 9 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 810 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00761	60€
	81	10 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762	30€
	82	20 x 9 watt Frameless recessed LED Panel with adjustable clamping system 6000K - luminous flux 810 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 90 x 20 mm - mounting diameter ø 55-80mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00762	60€
	83	10 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	40€








	84	20 x 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	80€
	85	10 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764	40€
	86	20 x 18 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 1620 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00764	80€
	87	10 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	40€



	88	20 x 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 120 x 20 mm - mounting diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	80€
	89	10 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	60€
	90	20 x 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	115€
	91	10 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767	60€

	92	<p>20 x 24 watt Frameless LED Panel with adjustable clamping system 4000K - luminous flux 2160 lumen - light color neutral white 4000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00767</p>	115€
	93	<p>10 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768</p>	60€
	94	<p>20 x 24 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 2160 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - size Ø 170 x 20 mm - mounting diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00768</p>	115€
	95	<p>4 x 12 watt Surface mounted LED Panels waterproof fire resistant with microwave sensor 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - Detected distance of 3-5 meter - 30 seconds on - voltage 165-265V (50/60Hz) - material PC - SKU 00637</p>	40€














	96	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00634	50€
	97	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00635	50€
	98	10 x 12 watt Surface mounted LED Panels waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - flicker free - product color white - size Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00636	50€
	99	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00631	50€
	100	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00632	50€










	101	10 x 12 watt Surface mounted LED Panels oval waterproof fire resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - waterproof IP65 - product color white - size 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00633	50€
	102	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	103	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	104	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	105	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	106	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€










	107	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more meter - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	108	1 x 20 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	45€
	109	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	85€
	110	1 x 50 meter 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835	100€
	111	1 x 20 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included	65€
	112	2 x 20 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage	125€







		220-240 V - SMD 5050 - 1 Neon LED Strip plug with bluetooth and remote controller included	
	113	1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip	150€
	114	1 x 50 meters 8W/m SMD Neon LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 120 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 2 Neon LED Strip plug with bluetooth and remote controller included - one controller for max 25m LED Strip	150€
	115	100 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	20€
	116	4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	40€
	117	4 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	40€

	118	8 x Neon LED Strip RGB controller with bluetooth and remote control - Manage by IOS and Android app - for max 25m Neon Led strip - Neon LED Strip not included - SKU 00570	80€
	119	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	120	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	121	20 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	25€
	122	50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	60€
	123	50 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	60€
	124	100 x 1 meter Neon LED Strip PVC profile - color white - Led Strip not included - only for neon - SKU 00470	120€









	125	3 x Neon LED Strip plug - LED strip not included	10€
	126	3 x Neon LED Strip plug - LED strip not included	10€
	127	3 x Neon LED Strip plug - LED strip not included	10€
	128	6 x Neon LED Strip plug - LED strip not included	20€
	129	6 x Neon LED Strip plug - LED strip not included	20€
	130	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	131	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€



	132	20 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	45€
	133	50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	110€
	134	50 x 1 meter Neon LED Strip Aluminum profile - Led Strip not included - size 8 x 16mm - SKU 00469	110€
	135	1 x 20 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€
	136	2 x 20 meters 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - light color neutral white 3000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	70€
	137	1 x 50 meter 9.5W/m SMD LED Strip waterproof 3000K - 60 LED/meter - luminous flux 280 lumen/meter - light color warm white 3000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€



	138	1 x 20 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€
	139	1 x 50 meter 9.5W/m SMD LED Strip waterproof 4000K - 60 LED/meter - light color neutral white 4000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	140	1 x 20 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	35€
	141	2 x 20 meters 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug(s) included	70€
	142	1 x 50 meter 9.5W/m SMD LED Strip waterproof 6000K - 60 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 3 LED Strip plug(s) included	80€
	143	1 x 20 meter 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more meter - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and	50€



		remote controller included	
	144	2 x 20 meters 15W/m SMD LED Strip waterproof RGB Bluetooth - dimming and color replaced with remote control and mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 20m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	100€
	145	1 x 50 meters 15W/m SMD LED Strip waterproof RGB - dimming and color replaced with remote control and by mobile bluetooth app - 60 LED/meter - light color RGB - IP65 waterproof - size 50m - can be shortened per 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 5050 - 1 LED Strip plug with bluetooth and remote controller included	100€
	146	3 x LED Strip plug - LED strip not included	10€
	147	3 x LED Strip plug - LED strip not included	10€
	148	6 x LED Strip plug - LED strip not included	20€