



CATALOG
BARCO LED VIDEO WALLS

auctim.com



auctim.com



DESCRIPTION

Liquidation of various BARCO LED screens / Video Walls,
Processors BARCO Infinipix,

START

6 december 2022 to 09:00

END DATE

16 december 2022 from 13:30

VIEWING

- Wednesday December 07 2022 from 15:00 until 17:00
2630 Aartselaar, Helststraat 47

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452.153.622


ISSUE - COLLECTION

- Thursday December 22 2022 from 10:00 until 12:00
2630 Aartselaar, Helststraat 47


Online bidding only!

Catalog created on 16 december 2022 to 04:01




	Item	Description	Start price
	5	<p>Quantity: 16 Product category: LED screens Brand: BARCO Model: LD X2 R90529581-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 2.7 mm / 0.109 inch Pixel density 129,600 pixels/sqm Pixels per panel 144 x 144 (H x V) LED type SMD RGB Black Brightness 2,000 nits LED lifespan 100,000 hrs (50% brightness) Color processing 16 bit (input to output) Colors 281 trillion Processing Infinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ Suitable for 3D yes Hor. viewing angle +/-55° (min 50% brightness) vert. viewing angle +/-55° (min 50% brightness) Panel size (W x H x D) in mm 400 x 400 x 91 mm / 15.75 x 15.75 x 3.58 inch Weight / tile 6 kg / 13.23 lbs Serviceability Front/back max. hanging 16 tiles (6.4 meters) Input voltage 100-240V / 50-60Hz Energy consumption 820 W/sqm - 76 W/sqft max. 398 W/sqm - 37 W/sqft typical</p> <p>Market price: 75,602 Euros</p> <p>https://www.barco.com/en/product/x2 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	3.198€




	5	<p>Quantity: 16 Product category: LED screens Brand: BARCO Model: LD X2 R90529581-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 2.7 mm / 0.109 inch Pixel density 129,600 pixels/sqm Pixels per panel 144 x 144 (H x V) LED type SMD RGB Black Brightness 2,000 nits LED lifespan 100,000 hrs (50% brightness) Color processing 16 bit (input to output) Colors 281 trillion Processing Infinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ Suitable for 3D yes Hor. viewing angle +/-55° (min 50% brightness) vert. viewing angle +/-55° (min 50% brightness) Panel size (W x H x D) in mm 400 x 400 x 91 mm / 15.75 x 15.75 x 3.58 inch Weight / tile 6 kg / 13.23 lbs Serviceability Front/back max. hanging 16 tiles (6.4 meters) Input voltage 100-240V / 50-60Hz Energy consumption 820 W/sqm - 76 W/sqft max. 398 W/sqm - 37 W/sqft typical</p> <p>Market price: 75,602 Euros</p> <p>https://www.barco.com/en/product/x2 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	3.198€
---	---	--	--------




	6	<p>Quantity: 16 Product category: LED screens Brand: BARCO Model: LD X2 R90529581-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 2.7 mm / 0.109 inch Pixel density 129,600 pixels/sqm Pixels per panel 144 x 144 (H x V) LED type SMD RGB Black Brightness 2,000 nits LED lifespan 100,000 hrs (50% brightness) Color processing 16 bit (input to output) Colors 281 trillion Processing Infinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ Suitable for 3D yes Hor. viewing angle +/-55° (min 50% brightness) vert. viewing angle +/-55° (min 50% brightness) Panel size (W x H x D) in mm 400 x 400 x 91 mm / 15.75 x 15.75 x 3.58 inch Weight / tile 6 kg / 13.23 lbs Serviceability Front/back max. hanging 16 tiles (6.4 meters) Input voltage 100-240V / 50-60Hz Energy consumption 820 W/sqm - 76 W/sqft max. 398 W/sqm - 37 W/sqft typical</p> <p>Market price: 75,602 Euros</p> <p>https://www.barco.com/en/product/x2 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	3.198€
---	---	--	--------



	6	<p>Quantity: 16 Product category: LED screens Brand: BARCO Model: LD X2 R90529581-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 2.7 mm / 0.109 inch Pixel density 129,600 pixels/sqm Pixels per panel 144 x 144 (H x V) LED type SMD RGB Black Brightness 2,000 nits LED lifespan 100,000 hrs (50% brightness) Color processing 16 bit (input to output) Colors 281 trillion Processing Infinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ Suitable for 3D yes Hor. viewing angle +/-55° (min 50% brightness) vert. viewing angle +/-55° (min 50% brightness) Panel size (W x H x D) in mm 400 x 400 x 91 mm / 15.75 x 15.75 x 3.58 inch Weight / tile 6 kg / 13.23 lbs Serviceability Front/back max. hanging 16 tiles (6.4 meters) Input voltage 100-240V / 50-60Hz Energy consumption 820 W/sqm - 76 W/sqft max. 398 W/sqm - 37 W/sqft typical</p> <p>Market price: 75,602 Euros</p> <p>https://www.barco.com/en/product/x2 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	3.198€
---	---	--	--------




	7	<p>Quantity: 7 Product category: LED screens Brand: BARCO Model: LD X2 R90529581-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 2.7 mm / 0.109 inch Pixel density 129,600 pixels/sqm Pixels per panel 144 x 144 (H x V) LED type SMD RGB Black Brightness 2,000 nits LED lifespan 100,000 hrs (50% brightness) Color processing 16 bit (input to output) Colors 281 trillion Processing Infinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ Suitable for 3D yes Hor. viewing angle +/-55° (min 50% brightness) vert. viewing angle +/-55° (min 50% brightness) Panel size (W x H x D) in mm 400 x 400 x 91 mm / 15.75 x 15.75 x 3.58 inch Weight / tile 6 kg / 13.23 lbs Serviceability Front/back max. hanging 16 tiles (6.4 meters) Input voltage 100-240V / 50-60Hz Energy consumption 820 W/sqm - 76 W/sqft max. 398 W/sqm - 37 W/sqft typical</p> <p>Market price: 75,602 Euros</p> <p>https://www.barco.com/en/product/x2 Weight category: 50 to 100 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.046€
---	---	--	--------




	8	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg</p>	2.800€
---	---	--	--------




		Condition: New Lying in/on: Original packaging Location: B15	
	8	Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high	2.800€




		<p>brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	8	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical</p>	2.800€




		<p>max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>9</p>	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm /</p>	<p>2.800€</p>



		<p>15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP rating Indoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>9</p>	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion Processing Infinipix(TM)</p>	<p>2.800€</p>



		<p>Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>9</p>	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm</p>	<p>2.800€</p>




		<p>Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
--	--	--	--




	10	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg</p>	2.800€
---	----	--	--------




		<p>Condition: New Lying in/on: Original packaging Location: B15</p>	
	10	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high</p>	2.800€




		<p>brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>10</p>	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical</p>	<p>2.800€</p>




		<p>max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>11</p>	<p>Quantity: 16 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L01 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm /</p>	<p>2.910€</p>



		<p>15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP rating Indoor only</p> <p>Market price: 61,740 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>12</p>	<p>Quantity: 16 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L04 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion Processing Infinipix(TM)</p>	<p>2.958€</p>




		<p>Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 101,871 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
	<p>13</p>	<p>Quantity: 17 Product category: LED screens Brand: BARCO Model: LD X1.9 R9052961-L04 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 1.92 mm / 0.076 inch Pixel density 270,400px/sqm</p>	<p>3.071€</p>




		<p>Pixels per tile 208 x 234 px (H x V) LED type SMD RGB Black Brightness 1,000 nits LED lifetime 80,000 hrs (50% brightness) Color Processing 16bit (input to output) Colors 281 trillion ProcessingInfinipix(TM) Source compatibility see Infinipix (TM) Data connection 10G Infinipix(TM), 2xIN/2xOUT SFP+ 3D ready yes Hor. viewing angle +/-60° (min 50% brightness) vert. viewing angle +/-60° (min 50% brightness) Tile size (WxHxD) in mm 400 x 450 x 91 mm / 15.75 x 17.72 x 3.58 inch Weight / Tile 6.6 kg / 14.55 lbs Serviceability Front/back max. hanging 15 tiles Input voltage 100-240V / 50-60Hz Power Consumption 917W/sqm; - 85W/sqft max. 420W/sqm; - 39W/sqft typical max. power connection/power supply 10 tiles (100-180V), 17 tiles (180-240V) Heat dissipation 3,126 BTU/h/sqm (max) 1,421 BTU/hr/sqm (typical) Operating temperature 0° - 40°C / 32° - 104°F Operating humidity 10-80% Cooling Passive cooling (active cooling for high brightness mode) IP ratingIndoor only</p> <p>Market price: 101,871 Euros</p> <p>https://www.barco.com/en/product/x1-9 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	
--	--	---	--




	14	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------




	14	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------




	14	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------




	15	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------




	15	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------




	15	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------




	16	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------





	16	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------






	16	<p>Quantity: 15 Product category: LED screens Brand: BARCO Model: LD XGII X4.0 Accessories: equipped with 1x processor INFINIPIX NP100, 10x LD X-SER STD FULL CORNER, 20x LD X-SER STD HALF CORNER Additional information: Pixel pitch 4.0 mm LED configuration Black SMD Pixels per tile 120 x 120 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 nits (calibrated) Processing 16 bit Colors 281 trillion ControllInfinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) vert. viewing angle 160° +/-5° (@50% brightness) Power consumption 217 W/m²(typ.) Operating power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operating humidity 10-90% IP rating IP30 Dimensions (HxW) 480 x 480mm / 18.9 x 18.9 inches Weight / Tile 7.7 kg/tile or 33.4 kg/m² Serviceability Front and Rear</p> <p>Market price: 66,150 Euros</p> <p>https://www.barco.com/en/product/x-4-0 Weight category: 100 to 250 kg Condition: New Lying in/on: Original packaging Location: B15</p>	2.050€
---	----	---	--------






	38	<p>Quantity: 1 Product Category: Led Screen Demo Kit Brand: BARCO Model: LD XGII X2.5 Additional information: Pixel pitch 2.5 mm LED configuration Black SMD Pixels per tile 192 x 192 px (H x V) LED lifetime 80,000h (video - 50% brightness) Brightness 1,300 Nits (calibrated) Processing 16 bit Colors 281 trillion Control Infinpix(TM) Dimming 16 bit Refresh rate 3,840 Hz Hor. viewing angle 160° +/-5° (@50% brightness) transl. viewing angle 160° +/-5° (@50% brightness) power consumption 260 W/m²(typ.) Operation power voltage 100-240V / 50-60Hz Operating temperature -10°C to +40°C / 14°F to 104°F Operational humidity 10-90% IP rating IP30</p> <p>https://www.barco.com/en/product/x2-5</p> <p>Market price: 27,493 Euro</p> <p>lying in a mobile flight case, dimensions: 2060x790xH1590mm Condition: Refurbished Weight category: 50 to 100 kg Lying in / on: Storage case Location: B15</p>	2.000€
	52	<p>Quantity: 7 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD FULL CORNER Additional information: R9801387B1, lying in 7 boxes</p>	100€



		Condition: Unused Weight category: 0 to 23 kg Lying in/on: Original packaging Location: B15	
	53	Quantity: 60 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD FULL CORNER Additional information: R9801387B10, lying in 6 boxes. Market price: 3,999 Euro Condition: Unused Weight category: 23 to 50 kg Lying in/on: Original packaging Location: B15	100€
	66	Quantity: 10 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD FULL CORNER Additional information: R9801387B10, lying in 1 box. Market price: 667 Euro Condition: Unused Weight category: 0 to 23 kg Lying in/on: Original packaging Location: B15	50€
	67	Quantity: 10 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD FULL CORNER Additional information: R9801387B10, lying in 1 box. Market price: 667 Euro Condition: Unused Weight category: 0 to 23 kg Lying in/on: Original packaging Location: B15	50€



	68	<p>Quantity: 10 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD FULL CORNER Additional information: R9801387B10, lying in 1 box. Market price: 667 Euro Condition: Unused Weight category: 0 to 23 kg Lying in/on: Original packaging Location: B15</p>	50€
	69	<p>Quantity: 10 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD FULL CORNER Additional information: R9801387B10, lying in 1 box. Market price: 667 Euro Condition: Unused Weight category: 0 to 23 kg Lying in/on: Original packaging Location: B15</p>	50€
	83	<p>Quantity: 2 Product category: Corner pieces Brand: BARCO Model: LD X-SER STD HALF CORNER Additional information: R9801388B2, horizontal in 1 box. Market price: 92 Euro Condition: Unused Weight category: 0 to 23 kg Lying in/on: Original packaging Location: B15</p>	10€