



CATALOG
CERAMIC FLOOR TILES



DESCRIPTION

Liquidation of more than 2,500m², first choice, ceramic floor tiles

START

23 november 2023 to 09:00 [UTC]

END DATE

3 december 2023 from 18:00 [UTC]

VIEWING

- Monday November 27 2023 from 10:00 until 12:00
2550 KONTICH, NEERVELD 7

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452 153 622






ISSUE - COLLECTION

- Thursday December 07 2023 from 10:00 until 12:00
2550 KONTICH, NEERVELD 7








Online bidding only!

Catalog created on 3 december 2023 to 04:00










	Item	Description	Start price
	1	46.08m ² - 60x120cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	2	92.16m ² - 60x120cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€
	3	46.08m ² - 60x120 - FIRST CHOICE, Brno Iris Highglossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	4	46.08m ² - 60x60 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	5	92.16m ² - 60x60 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€






	6	46.08m ² - 60x120 - FIRST CHOICE, Real Travertina Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	7	92.16m ² - 60x120 - FIRST CHOICE, Real Travertina Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€
	8	46.08m ² - 60x60 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	9	92.16m ² - 60x60 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€
	10	69.12m ² - 80x80 - FIRST CHOICE, XL Thasos Statuario Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€
	11	138.24m ² - 80x80 - FIRST CHOICE, XL Thasos Statuario Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.650€
	12	69.12m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€







	13	138.24m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.650€
	14	46.80m ² - 20x120cm - FIRST CHOICE, Gray Wood Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	15	93.60m ² - 20x120cm - FIRST CHOICE, Gray Wood Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	16	46.08m ² - 60x120cm - FIRST CHOICE, Panda White Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	17	92.16m ² - 60x120cm - FIRST CHOICE, Panda White Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€
	18	46.80m ² - 20x120cm - FIRST CHOICE, Marvel Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	19	93.60m ² - 20x120cm - FIRST CHOICE, Marvel Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€








	20	46.80m ² - 20x120cm - FIRST CHOICE, Royal Wood Brown Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	21	93.60m ² - 20x120cm - FIRST CHOICE, Royal Wood Brown Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	22	43.20m ² - 60x120cm - FIRST CHOICE, Ice Cube High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€








	23	86.40m ² - 60x120cm - FIRST CHOICE, Ice Cube High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.100€
	24	46.08m ² - 60x120cm - FIRST CHOICE, Armani Bianco Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	25	92.16m ² - 60x120cm - FIRST CHOICE, Armani Bianco Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.100€
	26	43.20m ² - 60x120 - FIRST CHOICE, Emparador Morena High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€







	27	43.20m ² - 60x120 - FIRST CHOICE, Emparador Morena High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	28	46.08m ² - 60x120 - FIRST CHOICE, Durango Nero Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	29	92.16m ² - 60x120 - FIRST CHOICE, Durango Nero Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	30	46.08m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	31	92.16m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€






	32	46.08m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	33	92.16m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	34	80.64m ² - 120x120 - FIRST CHOICE, XXL SEFORA CEMENT Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.500€
	35	115.20m ² - 120x120 - FIRST CHOICE, XXL SEFORA CEMENT Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	2.000€
	36	69.12m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€







	37	138.24m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.650€
	38	69.12m ² - 80x80 - FIRST CHOICE, XL Sefora NERO Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€
	39	138.24m ² - 80x80 - FIRST CHOICE, XL Sefora NERO Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.650€
	40	46.80m ² - 20x120cm - FIRST CHOICE, African Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€




	41	93.60m ² - 20x120cm - FIRST CHOICE, African Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	42	46.08m ² - 60x120 - FIRST CHOICE, CEMENTUM GRIS Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	43	92.16m ² - 60x120cm - FIRST CHOICE, CEMENTUM Gris MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€









	44	46.08m ² - 60x120 - FIRST CHOICE, CEMENTUM NERO Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	45	92.16m ² - 60x120 - FIRST CHOICE, CEMENTUM NERO MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€
	46	43.20m ² - 60x60 - FIRST CHOICE, Terazzo Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	47	43.20m ² - 60x60 - FIRST CHOICE, Terazzo Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€



 <p>auctim.com 600x600mm</p>	48	23.06m ² - 60x60 - FIRST CHOICE, Bluestone Coin Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	450€
 <p>auctim.com 600x600mm</p>	49	46.12m ² - 60x60 - FIRST CHOICE, Bluestone Coin Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€
 <p>auctim.com 600x600mm</p>	50	69.18m ² - 60x60 - FIRST CHOICE, Bluestone Coin Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.200€
	51	23.06m ² - 60x60 - FIRST CHOICE, Bluestone Black Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	450€
	52	46.12m ² - 60x60 - FIRST CHOICE, Bluestone Black Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€
	53	69.18m ² - 60x60 - FIRST CHOICE, Bluestone Black Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.200€



	54	345.6m ² - 60x60 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	3.250€
	55	345.6m ² - 60x60 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	3.250€
	56	345.6m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	3.250€
	57	345.6m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	3.250€
	58	322.56m ² - 60x120cm - FIRST CHOICE, CEMENTUM Gris MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	3.200€
	59	322.56m ² - 60x120cm - FIRST CHOICE, CEMENTUM NERO MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	3.200€