



CATALOG
Ceramic floor and wall tiles



DESCRIPTION

liquidation of more than 4900M², first choice ceramic floor tiles

START

9 february 2024 to 09:00 [UTC]

END DATE

20 february 2024 from 17:00 [UTC]

VIEWING

- Monday February 12 2024 from 10:00 until 12:00
Neerveld 7, 2550 Kontich

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoen@auctim.be
BTW BE 0452 153 622





ISSUE - COLLECTION

- Wednesday February 28 2024 from 10:00 until 12:00
Neerveld 7, 2550 Kontich








Online bidding only!








Catalog created on 20 february 2024 to 04:00







	Item	Description	Start price
	1	48.96m ² - 60x120cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	2	97.92m ² - 60x120cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	3	57.60m ² - 60x60 - FIRST CHOICE, Terazzo Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	4	57.60m ² - 60x60 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€







	5	115.20m ² - 60x60 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	6	46.08m ² - 60x120 - FIRST CHOICE, Durango Nero Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	7	92.16m ² - 60x120 - FIRST CHOICE, Durango Nero Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	8	57.60m ² - 60x60 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	9	115.20m ² - 60x60 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	10	72.96m ² - 80x80 - FIRST CHOICE, XL Thasos Statuario Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	950€
	11	145.92m ² - 80x80 - FIRST CHOICE, XL Thasos Statuario Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.850€

	12	72.96m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	950€
	13	145.92m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.850€
	14	46.80m ² - 20x120cm - FIRST CHOICE, Gray Wood Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	15	93.60m ² - 20x120cm - FIRST CHOICE, Gray Wood Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	16	46.08m ² - 60x120cm - FIRST CHOICE, Panda White Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	17	92.16m ² - 60x120cm - FIRST CHOICE, Panda White Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	18	46.80m ² - 20x120cm - FIRST CHOICE, Marvel Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€







	19	93.60m ² - 20x120cm - FIRST CHOICE, Marvel Beige Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	20	46.80m ² - 20x120cm - FIRST CHOICE, Royal Wood Brown Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	21	93.60m ² - 20x120cm - FIRST CHOICE, Royal Wood Brown Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	22	43.20m ² - 60x120cm - FIRST CHOICE, Ice Cube High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
















	23	86.40m ² - 60x120cm - FIRST CHOICE, Ice Cube High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.100€
	24	46.08m ² - 60x120cm - FIRST CHOICE, Armani Bianco Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	25	92.16m ² - 60x120cm - FIRST CHOICE, Armani Bianco Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	26	43.20m ² - 60x120 - FIRST CHOICE, Emparador Morena High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€








	27	43.20m ² - 60x120 - FIRST CHOICE, Emparador Morena High Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	28	48.96m ² - 60x120 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	29	97.92m ² - 60x120 - FIRST CHOICE, Marble Carrara Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	30	57.60m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€








	31	115.20m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	32	57.60m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	33	115.20m ² - 60x60cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	34	80.64m ² - 120x120 - FIRST CHOICE, XXL SEFORA CEMENT Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.500€
	35	80.64m ² - 120x120 - FIRST CHOICE, XXL SEFORA CEMENT Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.500€
	36	72.96m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	950€

	37	145.92m ² - 80x80 - FIRST CHOICE, XL Sefora Cement Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.850€
	38	72.96m ² - 80x80 - FIRST CHOICE, XL Sefora NERO Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	950€
	39	145.92m ² - 80x80 - FIRST CHOICE, XL Sefora NERO Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.850€
	40	46.80m ² - 20x120cm - FIRST CHOICE, African Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	41	93.60m ² - 20x120cm - FIRST CHOICE, African Black Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
	42	48.96m ² - 60x120 - FIRST CHOICE, CEMENTUM GRIS Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	43	97.92m ² - 60x120cm - FIRST CHOICE, CEMENTUM Gris MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€









	44	46.08m ² - 60x120 - FIRST CHOICE, CEMENTUM NERO Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	550€
	45	92.16m ² - 60x120 - FIRST CHOICE, CEMENTUM NERO MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.050€
	46	48.96m ² - 60x120 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	600€
	47	97.92m ² - 60x120 - FIRST CHOICE, Marble Carrara Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.150€
 600x600mm	48	23.06m ² - 60x60 - FIRST CHOICE, Bluestone Coin Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	450€








 <p>auctim.com 600x600mm</p>	49	46.12m ² - 60x60 - FIRST CHOICE, Bluestone Coin Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€
 <p>auctim.com 600x600mm</p>	50	69.18m ² - 60x60 - FIRST CHOICE, Bluestone Coin Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.200€
	51	23.06m ² - 60x60 - FIRST CHOICE, Bluestone Black Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	450€
	52	46.12m ² - 60x60 - FIRST CHOICE, Bluestone Black Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	850€
	53	69.18m ² - 60x60 - FIRST CHOICE, Bluestone Black Matt rectified, 20mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.200€




	54	57.60m ² - 60x60 - FIRST CHOICE, Odin Cement Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	55	115.20m ² - 60x60 - FIRST CHOICE, Odin Cement Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	56	57.60m ² - 60x60cm - FIRST CHOICE, Odin Anthracite Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	57	115.20m ² - 60x60cm - FIRST CHOICE, Odin Anthracite Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	58	57.60m ² - 60x60cm - FIRST CHOICE, Odin Tortora MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	59	115.20m ² - 60x60cm - FIRST CHOICE, Odin Tortora MATT rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€



	60	48.96m ² - 60x120cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	61	97.92m ² - 60x120cm - FIRST CHOICE, Calacatta Gold Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	62	48.96m ² - 60x120cm - FIRST CHOICE, Armani Nero Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€
	63	97.92m ² - 60x120cm - FIRST CHOICE, Armani Nero Glossy rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
	64	48.96m ² - 60x120cm - FIRST CHOICE, Panda White Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	700€



	65	97.92m ² - 60x120cm - FIRST CHOICE, Panda White Matt rectified, 9mm thickness, ceramic floor and wall tile for indoor and outdoor use, Frost and Scratch resistant.	1.350€
---	----	--	--------