

CATALOGManufacturing Plant Office Furniture







DESCRIPTION

Following to a closure, the production office of the furniture factory will be auctioned online.

START

14 february 2024 to 09:00 [UTC]

END DATE

28 february 2024 from 14:00 [UTC]

VIEWING

- Friday February 16 2024 from 10:00 until 12:00
 Via Eraclea, 6, 31048 Olmi TV, Italië
- Friday February 23 2024 from 10:00 until 12:00
 Via Eraclea, 6, 31048 Olmi TV, Italië

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium +32 3 827 21 31 - info.moyersoen@auctim.be BTW BE 0452 153 622

ISSUE - COLLECTION

Aanmelden tussen
 Thursday March 07 2024 from 10:00 until 11:00
 Via Eraclea, 6, 31048 Olmi TV, Italië

Online bidding only!

Catalog created on 28 february 2024 to 04:00

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



| Item | Description | Start price |
|------|---|-------------|
| 1 | Quantity: 1 Product category: Industrial powder coating line Brand: ITW Gema Year of construction (yyyy): 2000 / 2001 Voltage (V): 400 Additional information: Consisting of: 1 Spraying line ITW Gema, 1 suction system for powder coating residues ITW GEMA, year built 2001, dimensions: 1300 x 1700 x 2250mm, 1 silo, dimensions: 1500 x 1500 x 4750mm, 2x height-controllable double spray arm ITW GEMA, Reciprocator Acr1-21, manufactured: 2000, dimensions: 800 x 1600 x 3500mm, 1 Mecair filter system, dimensions: 1800 x 1800 x 3300mm, 4 various rinsing tanks, including cap: 1x 800L demineralized water, 2x 1900L (plain water), 1x Phospho disinfection tank 7600L and 2 poder spray guns ITW Gema, equipped with ITW Gema Pgc 1 control 1 control box Luntear 1672, 400V, 24DC, 110AC (3x phase + neutral) 104A, 50Hz, dimensions: 4150 x 600 x 2100mm 1 powder control control system ITW Gema PGC 1, 230V 1 Mobile spray booth ITW Gema, consisting of: Classic 5, built: 2000, s/n: 4001.0999, 3x 400V and Oben-5, built: 2000, 5000Nm³/h, s/n: 5000-05392, equipped with 5 filters, dimensions: 2500 x 3000 x 3900mm 1 Mobile spray gun ITW Gema Easyselect, s/n: 13301.01616 1 Industrial drying oven Officine Munari FT, built in: 2000, equipped with 2 various Riello burners, including types: Rs50 and 40, 465Kw, 36000Mc/h; 275Kw, 18000Mc/h, drying oven dimensions: 28000 x 6600 x 7250mm Supply line is powered Futura, CR6500, year of manufacture: 2000, s/n: 174 Dimensions of the ground surface approximately: 17500 x 27000 x 7650mm Excluding pallet rack and loose elements that are not associated with the spraying line | 100€ |



"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket, and the conduit/extraction pipes must be dismantled last, with one part remaining in the roof to ensure watertightness. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide his own disassembly and lifting material, as this is not present."

Weight category: more than 1,000 kg

condition: Used

Location: Warehouse



Quantity: 3Product category: Various empty PVC silos

Brand: Astro

Year of construction (yyyy): 2000

Voltage (V): 400

Additional information: Including capacity: 2x 9500L and 1x 15000L, equipped with Dipe Concentratore Dpe 1500 control system, consisting of: 1x control cabinet with Siemens Simatik OP3 control, 2 various drive pumps, including Bronzoni and 1 compressor tank Danfoss Maneurop, built: 11/2000, 380V dimensions ground area: 11000 x 2800 x

5000mm

excluding pallet rack

"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide disassembly and lifting equipment yourself, as this is not available."

Weight category: more than 1,000 kg

condition: Used

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



| | | Location: Warehouse | |
|--|---|--|------|
| | 3 | Quantity: 1 Product category: Industrial automated storage system Brand: Ciampalini Model: BI-MAG.310 Year of construction (yyyy): 2010 Voltage (V): 400 Additional information: Equipped with 31 drawers in a lattice structure (excluding bins), single compartment and operating system, consisting of: 1 PC HP DC2200, 1 TFT screen Philips, 1 keyboard and mouse Serial number:: BM180/10 Drawer capacity: 1000kg Total warehouse flow rate: 31000kg Useful dimensions of loading: 6800mm Warehouse dimensions: 7480 x 2560 x 6900mm Depth of the warehouse with trolley outside the workspace: 3340mm "When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide dismantling and lifting equipment yourself, as this is not available." Weight category: more than 1,000 kg condition: Used Location: Warehouse | 100€ |
| | 4 | Quantity: 1 Product category: Automatic metalworking center Brand: Finn Power Model: EB4 Year of construction (yyyy): 2000 Voltage (V): 400 | 100€ |

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



Additional information: Consisting of type: 1x Power express bender Eb4 2160/200, s/n: FP3044/2000G (this needs to be checked, leaks oil!) 1x laser safety barrier Sick M2000 and 1x Finn Power Ntr

Model Eb-0004-200 express bender 4 fin power:

Characteristics:

Maximum folding length: 2150mm
Minimum length between folds: 350mm
Minimum width between folds: 160mm
Sheet metal length (min-max): 370-2450mm

Maximum panel diagonal: 2700mm

Maximum weight of plate package: 3000kg Maximum material thickness: Fe37 steel: 2.5mm,

stainless steel: 1.8mm, aluminum: 3.5mm Minimum material thickness: 0.5mm

Incline angle: -135° +135°

Number of max. folds per side: 20

Ground surface dimensions: 13000 x 9750 x

4000mm

"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide dismantling and lifting equipment yourself, as this is not available."

If you are interested in a combination consisting of lots 4, 5 and 6, please contact info@auctim.com quoting the reference: OFFICE FURNITURE MANUFACTURING PLANT COMBINATION.

Weight category: more than 1,000 kg

condition: Used Location: Warehouse





5 Quantity: 1

Product category: Cnc punching machine

Brand: Finn Power

Model: Shear Genius Trs6sb Year of construction (yyyy): 2000

Voltage (V): 400

Additional information: Equipped with 2x laser safety barriers Sick M2000, 1x operating system

Touchscreen Siemens/Beckhoff

s/n: 10.5-TRS6427000 Year of construction: 2000 Net weight: 22000kg

Formed by: Ld charger

Trs punching and shearing center

Angular scissors

Mmc powerlink cell control

Characteristics:

Punching force: 300Kn

Number of tower stations: 20 pieces Maximum punch diameter: 89mm Maximum plate weight: 200kg

Pliers: 3-piece pneumatic

Ground surface dimensions: 18000 x 7800 x

3500mm

"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide disassembly and lifting equipment yourself, as this is not available."

If you are interested in a combination consisting of lots 4, 5 and 6, please contact

info@auctim.com quoting the reference: OFFICE FURNITURE MANUFACTURING PLANT

COMBINATION.

Weight category: more than 1,000 kg

condition: Used Location: Warehouse

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622

www.auctim.com info.moyersoen@auctim.be





6 Quantity: 1 100€

Product category: Automatic plate management

system

Brand: Finn power

Model: Night train Fms 3200

Voltage (V): 400

Additional information: Equipped with Beckhoff control system and automated stacking system Finn Power Ntw 3200, dimensions: 5500 x 1550 x

5000mm, 37lm rails and 18lm pallet rack, dimensions of shelves: 3600 x 1570mm and 6

uprights dimensions: 1650 x 4550mm

Year of construction: 2000

S/n: 4.0-NTW01496 Net weight: 3400kg

"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide dismantling and lifting equipment yourself, as this is not available."

If you are interested in a combination consisting of lots 4, 5 and 6, please contact info@auctim.com quoting the reference: OFFICE FURNITURE MANUFACTURING PLANT

COMBINATION.

Weight category: more than 1,000 kg

condition: Used Location: Warehouse



7 Quantity: 1

Product category: Office container on deck

Brand: .

Voltage (V): 400

Additional information: equipped with 9 windows, 1 glass door, lighting (1 roof panel is missing) and

AUCTIM - MOYERSOEN NV

Helststraat 47 2630 Aartselaar, Belgium VAT BE 0452 153 622 **www.auctim.com** info.moyersoen@auctim.be



metal construction, consisting of: 1 staircase with 11 steps, 4 uprights, dimensions: 750 x 2250mm

and 10 various shelves

Dimensions approximately office container: 3150

x 2100 x 2700mm

Total dimensions: 2200 x 4200 x 5100mm

Excluding content

"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide dismantling and lifting equipment yourself, as this is not available."

Weight category: more than 1,000 kg

condition: Used Location: Warehouse



8 Quantity: 1

Product category: Automatic warehouse

Brand: Jungheinrich

Model: LTW HE-1208/TG/A

Year of construction (yyyy): 2000

Voltage (V): 400

Additional information: Equipped with lift crane Jungheinrich Ltw He-1208/tg/a, dimensions: 4800

x 1600 x 7500mm, built: 2000, S/n:

00/0362/0718, control cabinets, 2x automatic roller conveyors, dimensions: 4500 x 1200 530/760mm, approximately 204 lm pallet rack, consisting of: 88 uprights, dimensions: 1000 x 6900/7125mm, approximately 622 shelves, dimensions: 2470mm and safety walls Maximum load per transport unit; 1200kg

storage depth: 1200mm

Load handling equipment: telescopic forks

Warehouse height: (net) 10200mm Height from the first level: 850mm

Height from ground to last level: 8600mm

Free span: 2470mm

www.auctim.com info.moyersoen@auctim.be



Capacity per span: 2400kg

N1° Electrical panel with sheet steel cabinet near the order picking location, including electrical equipment, auxiliary equipment, PLC (Siemens)

and control terminal

Please note: the lot is located on 3 levels, including rack 1/4 on the ground floor, rack 2/3 is

-220mm and the lift crane is at -640mm

"When dismantling, the buyer must follow the instructions of the on-site technician. Electricity must be properly disconnected from the socket. All nuts and bolts in the ground must be ground off. The buyer is responsible for his own disassembly and must provide dismantling and lifting equipment yourself, as this is not available."

Weight category: more than 1,000 kg

condition: Used Location: Warehouse