

CATALOG

LED INDOOR AND OUTDOOR LIGHTING B2B



DESCRIPTION

Liquidation of various indoor and outdoor lighting

START

11 march 2024 to 09:00 [UTC]

END DATE

20 march 2024 from 14:00 [UTC]

VIEWING

-
- Monday March 18 2024 from 10:00 until 12:00
Rijksweg 19, 2870 Puurs

AUCTIM PARTNER

MOYERSOEN NV

Helststraat 47, 2630 Aartselaar, Belgium
+32 3 827 21 31 - info.moyersoens@auctim.be
BTW BE 0452 153 622




ISSUE - COLLECTION

-
- Friday March 29 2024 from 09:00 until 11:00
Rijksweg 19, 2870 Puurs





Online bidding only!

Catalog created on 20 march 2024 to 04:00






	Item	Description	Start price
	1	40 x 100W 3000K LED UFO Highbay SLIM Waterproof with lens - 100 watt LED UFO Highbay SLIM Design Waterproof 3000K - luminous flux 10000 lumen SMD LED - with lens - light color warm white 3000K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 266 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1015	680€
	2	40 x 100W 4000K LED UFO Highbay SLIM Waterproof with lens - 100 watt LED UFO Highbay SLIM Design Waterproof 4000K - luminous flux 10000 lumen SMD LED - with lens - light color neutral white 4000K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 266 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1016	680€
	3	40 x 100W 6500K LED UFO Highbay SLIM Waterproof with lens - 100 watt LED UFO Highbay SLIM Design Waterproof 6500K - luminous flux 10000 lumen SMD LED - with lens - light color daylight 6500K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 266 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1017	680€






	4	40 x 150W 3000K LED UFO Highbay SLIM Waterproof with lens - 150 watt LED UFO Highbay SLIM Design Waterproof 3000K - luminous flux 15000 lumen SMD LED - with lens - light color warm white 3000K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 299 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200- 240V - it can show a 5% difference in watts and lumens - sku 1018	920€
	5	40 x 150W 4000K LED UFO Highbay SLIM Waterproof with lens - 150 watt LED UFO Highbay SLIM Design Waterproof 4000K - luminous flux 15000 lumen SMD LED - with lens - light color neutral white 3000K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 299 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200- 240V - it can show a 5% difference in watts and lumens - sku 1019	920€
	6	40 x 150W 6500K LED UFO Highbay SLIM Waterproof with lens - 150 watt LED UFO Highbay SLIM Design Waterproof 6500K - luminous flux 15000 lumen SMD LED - with lens - light color daylight 6500K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 299 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1020	920€
	7	40 x 200W 3000K LED UFO Highbay SLIM Waterproof with lens - 200 watt LED UFO Highbay SLIM Design Waterproof 3000K - luminous flux 21000 lumen SMD LED - with lens - light color warm white 3000K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 382 x 30mm -	1.110€







		material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1021	
	8	40 x 200W 4000K LED UFO Highbay SLIM Waterproof with lens - 200 watt LED UFO Highbay SLIM Design Waterproof 4000K - luminous flux 21000 lumen SMD LED - with lens - light color neutral white 4000K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 382 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1022	1.110€
	9	40 x 200W 6500K LED UFO Highbay SLIM Waterproof with lens - 200 watt LED UFO Highbay SLIM Design Waterproof 6500K - luminous flux 21000 lumen SMD LED - with lens - light color daylight 6500K - waterproof IP65 - Linear IC driver included - flicker free - beam angle 90° - product color sand black - diam Ø 382 x 30mm - material aluminum and PC lens - mounting set not included - lifespan 25000 hours - voltage 200-240V - it can show a 5% difference in watts and lumens - sku 1023	1.110€
	10	30 x 100W 4000K PRO SMD LED UFO HIGHBAY 3 step switch dimmable WATERPROOF - 100 watt PRO SMD LED UFO HIGHBAY 4000K DIMMABLE WATERPROOF - luminous flux 14000 lumens - light color neutral white 4000K - LED High Bay is equipped with a power switch that allows it to operate in 3 different 60W/ 80W/100W (60% 80% 100%) light intensity can be adjusted - SMD LED 2835 - waterproof IP65 - with LiFud LED Driver - with optical lens - beam angle 90° - product color black - Ø 225 x 150mm - material aluminum and PC lens - mounting set not included - lifespan 50,000 hours - voltage 100-265V - sku 1030	980€







  	11	<p>30 x 100W 6500K PRO SMD LED UFO HIGHBAY 3 step switch dimmable WATERPROOF - 100 watt PRO SMD LED UFO HIGHBAY 6500K DIMMABLE WATERPROOF - luminous flux 14000 lumen - light color daylight 6500K - LED High Bay is equipped with a power switch with which it can be switched in 3 different 60W/80W /100W (60% 80% 100%) light intensity can be adjusted - SMD LED 2835 - waterproof IP65 - with LiFud LED Driver - with optical lens - beam angle 90° - product color black - Ø 225 x 150mm - material aluminum and PC lens - mounting set not included - lifespan 50,000 hours - voltage 100-265V - sku 1031</p>	980€
  	12	<p>30 x 150W 4000K PRO SMD LED UFO HIGHBAY 3 step switch dimmable WATERPROOF - 150 watt PRO SMD LED UFO HIGHBAY 4000K DIMMABLE WATERPROOF - luminous flux 21000 lumens - light color neutral white 4000K - LED High Bay is equipped with a power switch that allows it to operate in 3 different 90W/ 120W/150W (60% 80% 100%) light intensity can be adjusted - SMD LED 2835 - waterproof IP65 - with LiFud LED Driver - with optical lens - beam angle 90° - product color black - Ø 265 x 150mm - material aluminum and PC lens - mounting set not included - lifespan 50,000 hours - voltage 100-265V - sku 1032</p>	1.270€
  	13	<p>30 x 150W 6500K PRO SMD LED UFO HIGHBAY 3 step switch dimmable WATERPROOF - 150 watt PRO SMD LED UFO HIGHBAY 6500K DIMMABLE WATERPROOF - luminous flux 21000 lumens - light color daylight 6500K - LED High Bay is equipped with a power switch that allows it to operate in 3 different 90W/120W /150W (60% 80% 100%) light intensity can be adjusted - SMD LED 2835 - waterproof IP65 - with LiFud LED Driver - with optical lens - beam angle 90° - product color black - Ø 265 x 150mm - material aluminum and PC lens - mounting set not included - lifespan 50,000 hours - voltage 100-265V - sku 1033</p>	1.270€

	14	<p>30 x 200W 4000K PRO SMD LED UFO HIGHBAY 3 step switch dimmable WATERPROOF - 200 watt PRO SMD LED UFO HIGHBAY 4000K DIMMABLE WATERPROOF - luminous flux 28000 lumens - light color neutral white 4000K - LED High Bay is equipped with a power switch that allows it to operate in 3 different 120W/ 160W/200W (60% 80% 100%) light intensity can be adjusted - SMD LED 2835 - waterproof IP65 - with LiFud LED Driver - with optical lens - beam angle 90° - product color black - Ø 300 x 150mm - material aluminum and PC lens - mounting set not included - lifespan 50,000 hours - voltage 100-265V - sku 1034</p>	1.525€
	15	<p>30 x 200W 6500K PRO SMD LED UFO HIGHBAY 3 step switch dimmable WATERPROOF - 200 watt PRO SMD LED UFO HIGHBAY 6500K DIMMABLE WATERPROOF - luminous flux 28000 lumen - light color daylight 6500K - LED High Bay is equipped with a power switch with which it can be switched in 3 different 120W/160W /200W (60% 80% 100%) light intensity can be adjusted - SMD LED 2835 - waterproof IP65 - with LiFud LED Driver - with optical lens - beam angle 90° - product color black - Ø 300 x 150mm - material aluminum and PC lens - mounting set not included - lifespan 50,000 hours - voltage 100-265V - sku 1035</p>	1.525€
	16	<p>18 x 100W 4200K SMD LED Street lights Waterproof tiltable - 100 watt SMD LED Street lights 4200K Waterproof - luminous flux 11600 lumens - light color neutral white 4200K - waterproof IP65 - beam angle 130° - with lens - with tiltable wall bracket - product color black and gray - dimensions . 562 x 215 x 98mm - material aluminum and PC lens - with IC driver - mounting set not included - lifespan 35,000 hours - voltage 85-265V - Energy class D - sku 00938</p>	495€



	17	18 x 100W 6200K SMD LED Street lights Waterproof tiltable - 100 watt SMD LED Street lights 6200K Waterproof - luminous flux 11600 lumen - light color daylight 6200K - waterproof IP65 - beam angle 130° - with lens - with tiltable wall bracket - product color black and gray - dimensions. 562 x 215 x 98mm - material aluminum and PC lens - with IC driver - mounting set not included - lifespan 35,000 hours - voltage 85-265V - Energy class D - sku 00939	495€
	18	10 x 100W 3000K Street lighting SMD LED with photocell sensor Waterproof - 100 watt Street lighting SMD LED with photocell sensor 3000K Waterproof - luminous flux 9200 lumen - light color warm white 3000K - waterproof IP65 - with photocell sensor day off/night on - beam angle 120° - product color black and gray - dimensions. 520 x 210 x 100 mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 85-265V - SKU 992	340€
	19	10 x 100W 5000K Street lighting SMD LED with photocell sensor Waterproof - 100 watt Street lighting SMD LED with photocell sensor 5000K Waterproof - luminous flux 9200 lumen - light color daylight 5000K - waterproof IP65 - with photocell sensor day off/night on - beam angle 120° - product color black and gray - dim. 520 x 210 x 100 mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 85-265V - SKU 993	340€
	20	8 x 20W SMD LED Solar Street Lights with Remote Control - 20 watt SMD LED Solar Street Lights with remote control - light color 5000 kelvin - waterproof IP65 - luminous flux 1800 lumen - product color black and gray - voltage 85-265V - lifespan 20,000 hours - dimensions 365 x 190 mm - beam angle 90° - aluminum housing and glass - solar panel dimensions 347 x 606mm - solar panel power 25W voltage 6V - battery 3.2V 15A works 4 hours 100% and 4 hours 50% - wall mounting not	545€









		included - including black iron wall bracket - diam Ø 60 x 500mm 113° angle - sku 410	
	21	10 x Tilttable Wall Bracket for Street Lighting 16 cm sand gray - Tilttable Wall Bracket for Street Lighting 16 cm sand gray - color gray - material iron - diam Ø 60mm x 160 mm - mounting included - lamp not included - SKU 780	50€
	22	10 x Tilttable Wall Bracket for Street Lighting 16 cm sand gray - Tilttable Wall Bracket for Street Lighting 16 cm sand gray - color gray - material iron - diam Ø 60mm x 160 mm - mounting included - lamp not included - SKU 780	50€
	23	50 x 10W 3000K Floodlights Frosted Glass SMD LED Waterproof - 10 watt Floodlights Frosted Glass SMD LED Waterproof 3000K - luminous flux 800 lumen - lumen/watt 80 - light color warm white 3000K - waterproof IP65 - beam angle 120° - product color black - dimensions 105 x 85 x 30mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 200-240V - SKU 0781	95€
	24	50 x 10W 5000K Floodlights Frosted Glass SMD LED Waterproof - 10 watt Floodlights Frosted Glass SMD LED Waterproof 5000K - luminous flux 800 lumen - lumen/watt 80 - light color daylight 5000K - waterproof IP65 - beam angle 120° - product color black - dimensions 105 x 85 30mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 200-240V - SKU 0782	95€
	25	50 x 30W 5000K Floodlights Frosted Glass SMD LED Waterproof - 30 watt Floodlights Frosted Glass SMD LED Waterproof 5000K - luminous flux 2400 lumen - lumen/watt 80 - light color daylight 5000K - waterproof IP65 - beam angle 120° - product color black - dimensions 150 x 115 23mm - material aluminum - mounting set not included -	185€










		lifespan 30,000 hours - voltage 200-240V - SKU 0783	
	26	40 x 50W 3000K Floodlights Frosted Glass SMD LED Waterproof - 50 watt Floodlights Frosted Glass SMD LED Waterproof 3000K - luminous flux 4000 lumen - lumen/watt 80 - light color warm white 3000K - waterproof IP65 - beam angle 120° - product color black - dimensions 205 x 160 x 25mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 200-240V - sku 785	210€
	27	40 x 100W 5000K Floodlights Frosted Glass SMD LED Waterproof - 100 watt Floodlights Frosted Glass SMD LED Waterproof 5000K - luminous flux 8000 lumen - lumen/watt 80 - light color daylight 5000K - waterproof IP65 - beam angle 120° - product color black - dimensions 269 x 210 25mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 200-240V - sku 25	380€
	28	80 x 100W 5000K Floodlights Frosted Glass SMD LED Waterproof - 100 watt Floodlights Frosted Glass SMD LED Waterproof 5000K - luminous flux 8000 lumen - lumen/watt 80 - light color daylight 5000K - waterproof IP65 - beam angle 120° - product color black - dimensions 269 x 210 25mm - material aluminum - mounting set not included - lifespan 30,000 hours - voltage 200-240V - sku 25	740€
	29	800 x Connection clamp 3-fold fire-resistant - Connection clamp 3-fold fire-resistant - welding clamp 0.08-2.5mm ² wire thickness - max 250V 32A - Connector suitable for indoor cable installation - dimensions 14.5 x 17.3 x 20.8mm - operating temperature up to 110C° - SKU 803	120€







	30	2000 x Connection clamp 3-fold fire-resistant - Connection clamp 3-fold fire-resistant - welding clamp 0.08-2.5mm ² wire thickness - max 250V 32A - Connector suitable for indoor cable installation - dimensions 14.5 x 17.3 x 20.8mm - operating temperature up to 110C° - SKU 803	290€
	31	4000 x Connection clamp 3-fold fire-resistant - Connection clamp 3-fold fire-resistant - welding clamp 0.08-2.5mm ² wire thickness - max 250V 32A - Connector suitable for indoor cable installation - dimensions 14.5 x 17.3 x 20.8mm - operating temperature up to 110C° - SKU 803	560€
	32	300 x Wire connector connecting clamp 3x3-fold colored fire-resistant - Wire connector connecting clamp 3x3-fold colored fire-resistant - welding clamp 0.08-2.5mm ² wire thickness - max 250V 32A - Connector suitable for indoor cable installation and cable interconnection - dimensions 14.5 x 18.6 x 39.7mm - operating temperature up to 110C° - SKU 806	125€
	33	1000 x Wire connector connecting clamp 3x3-fold colored fire-resistant - Wire connector connecting clamp 3x3-fold colored fire-resistant - welding clamp 0.08-2.5mm ² wire thickness - max 250V 32A - Connector suitable for indoor cable installation and cable interconnection - dimensions 14.5 x 18.6 x 39.7mm - operating temperature up to 110C° - SKU 806	410€
 	34	160 x Cable connector 3 core waterproof - Cable connector 3 core waterproof fire resistant - sealing IP68 - 4-8mm cable thickness - max 1.5mm ² wire thickness - max 250V 24A - Connector suitable for outdoor cable installation and 1,2,3 core cables - size Ø 21.5 x 76mm - operating temperature -40C° to 105C° - SKU 800	300€







 	35	500 x Cable connector 3 core waterproof - Cable connector 3 core waterproof fire resistant - sealing IP68 - 4-8mm cable thickness - max 1.5mm ² wire thickness - max 250V 24A - Connector suitable for outdoor cable installation and 1,2,3 core cables - size Ø 21.5 x 76mm - operating temperature -40C° to 105C° - SKU 800	900€
 	36	40 x T-piece cable connector 3-wire, waterproof, fire-resistant - T-piece cable connector, 3-wire, waterproof, fire-resistant - sealing IP68 - 4-10mm cable thickness - max 1.5mm ² wire thickness - max 250V 24A - Connector suitable for outdoor cable installation and 1,2,3-wire cables - dimensions Ø 25.1 x 92 x 62mm - operating temperature -40C° to 105C° - SKU 801	135€
 	37	100 x T-piece cable connector 3-wire, waterproof, fire-resistant - T-piece cable connector, 3-wire, waterproof, fire-resistant - sealing IP68 - 4-10mm cable thickness - max 1.5mm ² wire thickness - max 250V 24A - Connector suitable for outdoor cable installation and 1,2,3-wire cables - dimensions Ø 25.1 x 92 x 62mm - operating temperature -40C° to 105C° - SKU 801	330€
	38	40 x 18W Frameless recessed LED Panel with adjustable clamping system 3000K - 18 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 1620 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - dimensions Ø 120 x 20 mm - installation diameter Ø 50-110mm adjustable clamp system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00763	130€







	39	40 x 18W Frameless recessed LED Panel with adjustable clamping system 6000K - 18 watt Frameless LED Panel with adjustable clamping system 6000K - luminous flux 1620 lumen - light color daylight 6000K - sealing IP20 - beam angle 120° - SMD LED - product color white - dimensions Ø 120 x 20 mm - installation diameter ø 50-110mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00765	130€
	40	40 x 24W Frameless recessed LED Panel with adjustable clamping system 3000K - 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - seal IP20 - beam angle 120° - SMD LED - product color white - dimensions Ø 170 x 20 mm - installation diameter ø 75-160mm adjustable clamping system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	185€
	41	100 x 24W Frameless recessed LED Panel with adjustable clamping system 3000K - 24 watt Frameless LED Panel with adjustable clamping system 3000K - luminous flux 2160 lumen - light color warm white 3000K - sealing IP20 - beam angle 120° - SMD LED - product color white - dimensions Ø 170 x 20 mm - installation diameter ø 75-160mm adjustable clamp system - material aluminum and PP diffuser - lifespan 30,000 hours - voltage 165-265V - LED driver included - SKU 00766	440€
	42	50 x 18W 4200K Slim Panels SMD LED - 18 watt Slim Panels SMD LED 4200K - luminous flux 1360 lumen - light color neutral white 4200K - beam angle 110° - product color white - dimensions Ø 190 x 20.5 mm - installation diameter ø175mm - material polyamide - mounting set not included - lifespan 20,000 hours - voltage 220-240V - LED	140€



		driver included - SKU BGH05	
	43	100 x 18W 4200K Slim Panels SMD LED - 18 watt Slim Panels SMD LED 4200K - luminous flux 1360 lumen - light color neutral white 4200K - beam angle 110° - product color white - dimensions Ø 190 x 20.5 mm - installation diameter ø175mm - material polyamide - mounting set not included - lifespan 20,000 hours - voltage 220-240V - LED driver included - SKU BGH05	275€
	44	20 x 12W 4000K Surface-mounted LED Panels waterproof fire-resistant with microwave sensor - 12 watt Surface-mounted LED Panels waterproof fire-resistant with microwave sensor 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - dimensions Ø 160 x 46mm - material PC and ABS - mounting kit included - Detected distance of 3-5 meters - 30 seconds on - voltage 165-265V - SKU 1060	135€
	45	40 x 12W 4000K Surface-mounted LED Panels waterproof fire-resistant with microwave sensor - 12 watt Surface-mounted LED Panels waterproof fire-resistant with microwave sensor 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - dimensions Ø 160 x 46mm - material PC and ABS - mounting kit included - Detected distance of 3-5 meters - 30 seconds on - voltage 165-265V - SKU 1060	260€
	46	40 x 12W 3000K Surface-mounted LED Panels waterproof fire-resistant - 12 watt Surface-mounted LED Panels waterproof fire-resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - flicker free - product color white - dimensions Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00634	165€







	47	40 x 12W 4000K Surface-mounted LED Panels waterproof fire-resistant - 12 watt Surface-mounted LED Panels waterproof fire-resistant 4000K - luminous flux 960 lumen - light color neutral white 4000K - flicker free - product color white - dimensions Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165-265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00635	165€
	48	40 x 12W 6000K Surface-mounted LED Panels waterproof fire-resistant - 12 watt Surface-mounted LED Panels waterproof fire-resistant 6000K - luminous flux 960 lumen - light color ndaylight 6000K - flicker free - product color white - dimensions Ø 160 x 46mm - material PC and ABS - mounting set included - voltage 165 -265V (50/60Hz) - material PC - suitable for wall and ceiling - SKU 00636	165€
	49	40 x 12W 3000K Surface-mounted LED Panels oval waterproof fire-resistant - 12 watt Surface-mounted LED Panels oval waterproof fire-resistant 3000K - luminous flux 960 lumen - light color warm white 3000K - waterproof IP65 - product color white - dimensions 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00631	145€
	50	40 x 12W 6000K Surface-mounted LED Panels oval waterproof fire-resistant - 12 watt Surface-mounted LED Panels oval waterproof fire-resistant 6000K - luminous flux 960 lumen - light color daylight 6000K - waterproof IP65 - product color white - dimensions 160 x 46 x 84mm - material PC and ABS - mounting set included - lifespan 30,000 hours - voltage 165-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00633	145€



	51	60 x 16W 120cm T5 LED light connectable 3000K - 16 watt 120cm T5 LED light connectable 3000K with on/off switch - luminous flux 1360 lumen - light color warm white 3000K - SMD LED - product color white - dimensions. 1179 x 22 x 33 mm - material PC and PVC - mounting set included - lifespan 30,000 hours - beam angle 120° - voltage 165-265V (50/60Hz) - SKU 00673	200€
	52	120 x 16W 120cm T5 LED light connectable 3000K - 16 watt 120cm T5 LED light connectable 3000K with on/off switch - luminous flux 1360 lumen - light color warm white 3000K - SMD LED - product color white - dimensions. 1179 x 22 x 33 mm - material PC and PVC - mounting set included - lifespan 30,000 hours - beam angle 120° - voltage 165-265V (50/60Hz) - SKU 00673	395€
	53	100 x 36W 4000K Batten light SMD LED slim - 36 watt Batten light SMD LED 4000K - luminous flux 3850 lumen - light color natural white 4000K - IP20 - product color white - flicker free - dimensions. 1200 x 75 x 25 mm - material plastic and iron - mounting set included - lifespan 15,000 hours - voltage 165-265V - garage light, warehouse light, office light - sku 1058	490€
	54	250 x 36W 4000K Batten light SMD LED slim - 36 watt Batten light SMD LED 4000K - luminous flux 3850 lumen - light color natural white 4000K - IP20 - product color white - flicker free - dimensions. 1200 x 75 x 25 mm - material plastic and iron - mounting set included - lifespan 15,000 hours - voltage 165-265V - garage light, warehouse light, office light - sku 1058	1.150€
	55	100 x 36W 6500K Batten light SMD LED slim - 36 watt Batten light SMD LED 6500K - luminous flux 3850 lumen - light color daylight 6500K - IP20 - product color white - flicker free - dimensions. 1200 x 75 x 25 mm - material plastic and iron - mounting set included - lifespan 15,000 hours - voltage 165-265V - garage light, warehouse light,	490€



		office light - sku 1059	
	56	250 x 36W 6500K Batten light SMD LED slim - 36 watt Batten light SMD LED 6500K - luminous flux 3850 lumen - light color daylight 6500K - IP20 - product color white - flicker free - dimensions. 1200 x 75 x 25 mm - material plastic and iron - mounting set included - lifespan 15,000 hours - voltage 165-265V - garage light, warehouse light, office light - sku 1059	1.150€
	57	40 x 34W 4000K LED Batten light 120cm waterproof - 34 watt LED Batten light 120cm waterproof 4000K - luminous flux 4000 lumen - SMD LED - flicker free - light color neutral white 4000K - IP65 waterproof - product color white - dimensions. 1180 x 53 x 34 mm - material PC - beam angle 120° - mounting set included - lifespan 30,000 hours - voltage 200-240V (50/60Hz) - SKU 01061	275€
	58	80 x 34W 4000K LED Batten light 120cm waterproof - 34 watt LED Batten light 120cm waterproof 4000K - luminous flux 4000 lumen - SMD LED - flicker free - light color neutral white 4000K - IP65 waterproof - product color white - dimensions. 1180 x 53 x 34 mm - material PC - beam angle 120° - mounting set included - lifespan 30,000 hours - voltage 200-240V (50/60Hz) - SKU 01061	540€
	59	40 x 34W 6500K LED Batten light 120cm waterproof - 34 watt LED Batten light 120cm waterproof 6500K - luminous flux 4000 lumen - SMD LED - flicker free - light color daylight 6500K - IP65 waterproof - product color white - dimensions. 1180 x 53 x 34 mm - material PC - beam angle 120° - mounting set included - lifespan 30,000 hours - voltage 200-240V (50/60Hz) - SKU 01062	275€







	60	80 x 34W 6500K LED Batten light 120cm waterproof - 34 watt LED Batten light 120cm waterproof 6500K - luminous flux 4000 lumen - SMD LED - flicker free - light color daylight 6500K - IP65 waterproof - product color white - dimensions. 1180 x 53 x 34 mm - material PC - beam angle 120° - mounting set included - lifespan 30,000 hours - voltage 200-240V (50/60Hz) - SKU 01062	275€
	61	30 x 10W 3000K 60cm single LED TL T8 waterproof fixtures with lamp - 10W 3000K 60cm single LED TL T8 waterproof fixtures with tubes - IP65 waterproof - product color gray - light color warm white 3000K - dimensions. 672 x 62 x 60 mm - material ABS and PS - mounting set included - a T8 Tube input - LED tube included - voltage 220-265V - one side L-N connection - sku 2065	150€
	62	30 x 10W 4000K 60cm single LED TL T8 waterproof fixtures with lamp - 10W 4000K 60cm single LED TL T8 waterproof fixtures with tubes - IP65 waterproof - product color gray - light color natural white 4000K - dimensions. 672 x 62 x 60 mm - material ABS and PS - mounting set included - a T8 Tube input - LED tube included - voltage 220-265V - one side L-N connection - sku 2066	150€
	63	30 x 10W 6000K 60cm single LED TL T8 waterproof fixtures with lamp - 10W 6000K 60cm single LED TL T8 waterproof fixtures with tubes - IP65 waterproof - product color gray - light color daylight 6000K - dimensions. 672 x 62 x 60 mm - material ABS and PS - mounting set included - a T8 Tube input - LED tube included - voltage 220-265V - one side L-N connection - sku 2067	150€
	64	60 x 60cm single LED TL T8 fixtures waterproof - 60cm single LED TL T8 fixtures waterproof - IP65 waterproof - product color gray - dimensions. 672 x 62 x 60 mm - material ABS and PS - mounting set included - a T8 Tube input - LED tube not included - voltage 220-265V - one side L-N	225€







		connection - sku 1066	
	65	32 x 120cm double LED TL T8 fixtures waterproof - 120cm double LED TL T8 fixtures waterproof - IP65 waterproof - product color gray - dimensions. 1282 x 96 x 60 mm - material ABS and PS - mounting set included - two T8 Tube input - LED tube not included - voltage 220-240V - one side L N connection - sku 1067	235€
	66	64 x 120cm double LED TL T8 fixtures waterproof - 120cm double LED TL T8 fixtures waterproof - IP65 waterproof - product color gray - dimensions. 1282 x 96 x 60 mm - material ABS and PS - mounting set included - two T8 Tube input - LED tube not included - voltage 220-240V - one side L N connection - sku 1067	465€
	67	32 x 150cm double LED TL T8 fixtures waterproof - 150cm double LED TL T8 fixtures waterproof - IP65 waterproof - product color gray - dimensions. 1581 x 96 x 60 mm - material ABS and PS - mounting set included - two T8 Tube input - LED tube not included - voltage 220-240V - one side L N connection - sku 1068	285€
	68	64 x 150cm double LED TL T8 fixtures waterproof - 150cm double LED TL T8 fixtures waterproof - IP65 waterproof - product color gray - dimensions. 1581 x 96 x 60 mm - material ABS and PS - mounting set included - two T8 Tube input - LED tube not included - voltage 220-240V - one side L N connection - sku 1068	560€
	69	32 x 120cm Pro double LED TL T8 fixtures waterproof with reflectors - 120cm Pro double LED TL T8 fixtures waterproof with reflector - IP65 waterproof - product color gray - dimensions. 1282 x 96 x 60mm - material ABS and PC - mounting set included - two T8 tube input - LED tube not included - voltage 220-240V - max 44W - one side L N connection - SKU 01064	285€



	70	64 x 120cm Pro double LED TL T8 fixtures waterproof with reflectors - 120cm Pro double LED TL T8 fixtures waterproof with reflector - IP65 waterproof - product color gray - dimensions. 1282 x 96 x 60mm - material ABS and PC - mounting set included - two T8 tube input - LED tube not included - voltage 220-240V - max 44W - one side L N connection - SKU 01064	560€
	71	32 x 150cm Pro double LED TL T8 fixtures waterproof with reflectors - 150cm Pro double LED TL T8 fixtures waterproof with reflector - IP65 waterproof - product color gray - dimensions. 1581 x 96 x 60mm - material ABS and PC - mounting set included - two T8 tube input - LED tube not included - voltage 220-240V - max 44W - one side L N connection - SKU 01065	335€
	72	64 x 150cm Pro double LED TL T8 fixtures waterproof with reflectors - 150cm Pro double LED TL T8 fixtures waterproof with reflector - IP65 waterproof - product color gray - dimensions. 1581 x 96 x 60mm - material ABS and PC - mounting set included - two T8 tube input - LED tube not included - voltage 220-240V - max 44W - one side L N connection - SKU 01065	660€
	73	40 x 60cm Pro Design double LED TL T8 fixtures waterproof white with reflector - 60cm Pro Design double LED TL T8 fixtures waterproof white with reflector - IP65 waterproof - product color white - dimensions. 683 x 138 x 84mm - material PC & iron reflector - mounting set included - two T8 Tube input - LED TL Tube not included - voltage 220-240V - one side L N connection - max 18 watts - compatible with 60cm fluorescent tubes - SKU 00650	345€



	74	40 x 60cm Pro Design double LED TL T8 fixtures waterproof dark gray with reflector - 60cm Pro Design double LED TL T8 fixtures waterproof dark gray with reflector - IP65 waterproof - product color dark gray - dimensions. 683 x 138 x 84mm - material PC & iron reflector - mounting set included - two T8 Tube input - LED TL Tube not included - voltage 220-240V - one side L N connection - max 18 watts - Attention incorrect information about product color on the boxes - compatible with 60cm fluorescent tubes - SKU 00651	345€
	75	40 x 120cm Pro Design double LED TL T8 fixtures waterproof white with reflector - 120cm Pro Design double LED TL T8 fixtures waterproof white with reflector - IP65 waterproof - product color white - dimensions. 1289 x 138 x 84mm - material PC & iron reflector - mounting set included - two T8 Tube input - LED TL Tube not included - voltage 220-240V - one side L N connection - max 36 watts - compatible with 120cm fluorescent tubes - SKU 00652	565€
	76	40 x 120cm Pro Design double LED TL T8 fixtures waterproof dark gray with reflector - 120cm Pro Design double LED TL T8 fixtures waterproof dark gray with reflector - IP65 waterproof - product color dark gray - dimensions. 1289 x 138 x 84mm - material PC & iron reflector - mounting set included - two T8 Tube input - LED TL Tube not included - voltage 220-240V - one side L N connection - max 36 watts - Attention incorrect information about product color on the boxes - compatible with 120cm fluorescent tubes - SKU 00653	565€
	77	60 x 10W 3000K LED TL Tubes LED 60cm G13 T8 - 10 watt LED TL Tubes LED 60cm G13 T8 3000K - luminous flux 1000 lumen - SMD LED - lumen/watt 100 (high lumen) - light color warm white 3000K - beam angle 300° - product color white - dim. Ø 26 x 600mm - material glass - with dummy starter -	85€












		lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1048	
	78	60 x 10W 4000K LED TL Tubes LED 60cm G13 T8 - 10 watt LED TL Tubes LED 60cm G13 T8 4000K - luminous flux 1000 lumen - SMD LED - lumen/watt 100 (high lumen) - light color neutral white 4000K - beam angle 300° - product color white - dim. Ø 26 x 600mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1049	85€
	79	60 x 10W 6000K LED TL Tubes LED 60cm G13 T8 - 10 watt LED TL Tubes LED 60cm G13 T8 6000K - luminous flux 1000 lumen - SMD LED - lumen/watt 100 (high lumen) - light color daylight 6000K - beam angle 300° - product color white - dim. Ø 26 x 600mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1050	85€
	80	60 x 18W 3000K LED TL Tubes LED 120cm G13 T8 - 18 watt LED TL Tubes LED 120cm G13 T8 3000K - luminous flux 1850 lumen - SMD LED - lumen/watt 102 (high lumen) - light color warm white 3000K - beam angle 300° - product color white - dim. Ø 26 x 1200mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1051	110€
	81	120 x 18W 3000K LED TL Tubes LED 120cm G13 T8 - 18 watt LED TL Tubes LED 120cm G13 T8 3000K - luminous flux 1850 lumen - SMD LED - lumen/watt 102 (high lumen) - light color warm white 3000K - beam angle 300° - product color white - dim. Ø 26 x 1200mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1051	215€








	82	60 x 18W 4000K LED TL Tubes LED 120cm G13 T8 - 18 watt LED TL Tubes LED 120cm G13 T8 4000K - luminous flux 1850 lumen - SMD LED - lumen/watt 102 (high lumen) - light color neutral white 4000K - beam angle 300° - product color white - dim. Ø 26 x 1200mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1052	110€
	83	120 x 18W 4000K LED TL Tubes LED 120cm G13 T8 - 18 watt LED TL Tubes LED 120cm G13 T8 4000K - luminous flux 1850 lumen - SMD LED - lumen/watt 102 (high lumen) - light color neutral white 4000K - beam angle 300° - product color white - dim. Ø 26 x 1200mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1052	215€
	84	60 x 18W 6000K LED TL Tubes LED 120cm G13 T8 - 18 watt LED TL Tubes LED 120cm G13 T8 6000K - luminous flux 1850 lumen - SMD LED - lumen/watt 102 (high lumen) - light color daylight 6000K - beam angle 300° - product color white - dim. Ø 26 x 1200mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1053	110€
	85	120 x 18W 6000K LED TL Tubes LED 120cm G13 T8 - 18 watt LED TL Tubes LED 120cm G13 T8 6000K - luminous flux 1850 lumen - SMD LED - lumen/watt 102 (high lumen) - light color daylight 6000K - beam angle 300° - product color white - dim. Ø 26 x 1200mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1053	215€








	86	60 x 22W 4000K LED TL Tubes LED 150cm G13 T8 - 22 watt LED TL Tubes LED 150cm G13 T8 4000K - luminous flux 2300 lumen - SMD LED - lumen/watt 102 (high lumen) - light color neutral white 4000K - beam angle 300° - product color white - dim. Ø 26 x 1500mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1054	150€
	87	120 x 22W 4000K LED TL Tubes LED 150cm G13 T8 - 22 watt LED TL Tubes LED 150cm G13 T8 4000K - luminous flux 2300 lumen - SMD LED - lumen/watt 102 (high lumen) - light color neutral white 4000K - beam angle 300° - product color white - dim. Ø 26 x 1500mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1054	295€
	88	60 x 22W 6000K LED TL Tubes LED 150cm G13 T8 - 22 watt LED TL Tubes LED 150cm G13 T8 6000K - luminous flux 2300 lumen - SMD LED - lumen/watt 102 (high lumen) - light color daylight 6000K - beam angle 300° - product color white - dim. Ø 26 x 1500mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1055	150€
	89	120 x 22W 6000K LED TL Tubes LED 150cm G13 T8 - 22 watt LED TL Tubes LED 150cm G13 T8 6000K - luminous flux 2300 lumen - SMD LED - lumen/watt 102 (high lumen) - light color daylight 6000K - beam angle 300° - product color white - dim. Ø 26 x 1500mm - material glass - with dummy starter - lifespan 25,000 hours - voltage 220-240V - single-sided power supply - sku 1055	295€






	90	20 x 10 meters E27 Waterproof Pin cable connectable - 10 meters black pin cable with 10 pieces E27 fittings connectable - 2C x 1.0mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoors and outdoors - lamps not included - SKU 1071	355€
	91	20 x 10 meters E27 Waterproof Pin cable connectable - 10 meters black pin cable with 10 pieces E27 fittings connectable - 2C x 1.0mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoors and outdoors - lamps not included - SKU 1071	355€
	92	40 x 10 meters E27 Waterproof Pin cable connectable - 10 meters black pin cable with 10 pieces E27 fittings connectable - 2C x 1.0mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoors and outdoors - lamps not included - SKU 1071	695€
	93	40 x 10 meters E27 Waterproof Pin cable connectable - 10 meters black pin cable with 10 pieces E27 fittings connectable - 2C x 1.0mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoors and outdoors - lamps not included - SKU 1071	695€
	94	80 x 10 meters E27 Waterproof Pin cable connectable - 10 meters black pin cable with 10 pieces E27 fittings connectable - 2C x 1.0mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoors and outdoors - lamps not included - SKU 1071	1.350€

	95	20 x 10 meters E27 Waterproof Pin cable connectable thick cable - 10 meters black pin cable with 10 pieces E27 fittings thick cable connectable - 2C x 1.5mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoor and outdoor use - lamps not included - SKU 430	400€
	96	20 x 10 meters E27 Waterproof Pin cable connectable thick cable - 10 meters black pin cable with 10 pieces E27 fittings thick cable connectable - 2C x 1.5mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoor and outdoor use - lamps not included - SKU 430	400€
	97	40 x 10 meters E27 Waterproof Pin cable connectable thick cable - 10 meters black pin cable with 10 pieces E27 fittings thick cable connectable - 2C x 1.5mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoor and outdoor use - lamps not included - SKU 430	10€
	98	40 x 10 meters E27 Waterproof Pin cable connectable thick cable - 10 meters black pin cable with 10 pieces E27 fittings thick cable connectable - 2C x 1.5mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoor and outdoor use - lamps not included - SKU 430	780€
	99	80 x 10 meters E27 Waterproof Pin cable connectable thick cable - 10 meters black pin cable with 10 pieces E27 fittings thick cable connectable - 2C x 1.5mm - IP65 waterproof - with cord and plug - extendable with mating plug and pin cables can be linked together - Party lighting party lighting for indoor and outdoor use - lamps	1.500€




		not included - SKU 430	
	100	200 x 2W E27 S14 Filament Plastic Shockproof LED Bulb 2700K - 2W E27 S14 Filament Plastic Shockproof LED Bulb 2000K - luminous flux 115 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 88mm - material clear plastic - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 1070	145€
	101	200 x 2W E27 S14 Filament Plastic Shockproof LED Bulb 2700K - 2W E27 S14 Filament Plastic Shockproof LED Bulb 2000K - luminous flux 115 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 88mm - material clear plastic - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 1070	145€
	102	400 x 2W E27 S14 Filament Plastic Shockproof LED Bulb 2700K - 2W E27 S14 Filament Plastic Shockproof LED Bulb 2000K - luminous flux 115 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 88mm - material clear plastic - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 1070	10€
	103	400 x 2W E27 S14 Filament Plastic Shockproof LED Bulb 2700K - 2W E27 S14 Filament Plastic Shockproof LED Bulb 2000K - luminous flux 115 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 88mm - material clear plastic - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 1070	280€
	104	800 x 2W E27 S14 Filament Plastic Shockproof LED Bulb 2700K - 2W E27 S14 Filament Plastic Shockproof LED Bulb 2000K - luminous flux 115 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 88mm - material clear plastic - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 1070	550€



	105	200 x 2W E27 G45 Amber Glass Filament LED Bulb 2000K - 2 watt E27 G45 Amber Glass Filament LED Bulb 2000K - luminous flux 200 lumen - light color warm white 2000K - beam angle 360° - dimensions Ø 45 x 75mm - material glass - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 00994	145€
	106	400 x 2W E27 G45 Amber Glass Filament LED Bulb 2000K - 2 watt E27 G45 Amber Glass Filament LED Bulb 2000K - luminous flux 200 lumen - light color warm white 2000K - beam angle 360° - dimensions Ø 45 x 75mm - material glass - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 00994	280€
	107	800 x 2W E27 G45 Amber Glass Filament LED Bulb 2000K - 2 watt E27 G45 Amber Glass Filament LED Bulb 2000K - luminous flux 200 lumen - light color warm white 2000K - beam angle 360° - dimensions Ø 45 x 75mm - material glass - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 00994	550€
	108	200 x 4W E27 G45 Filament LED Bulb 2700K - 4 watt E27 G45 Filament LED Bulb 2700K - luminous flux 470 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 75mm - material glass - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 00995	145€
	109	400 x 4W E27 G45 Filament LED Bulb 2700K - 4 watt E27 G45 Filament LED Bulb 2700K - luminous flux 470 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 45 x 75mm - material glass - lifespan 25,000 hours - voltage 220-240V - Pin cable not included - SKU 00995	280€



	110	100 x 8W E27 A60 Filament LED Bulb 2700K - 8 watt E27 A60 Filament LED Bulb 2700K - luminous flux 880 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 60 x 108mm - material glass - lifespan 25,000 hours - voltage 220-240V - SKU 00996	120€
	111	200 x 8W E27 A60 Filament LED Bulb 2700K - 8 watt E27 A60 Filament LED Bulb 2700K - luminous flux 880 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 60 x 108mm - material glass - lifespan 25,000 hours - voltage 220-240V - SKU 00996	230€
	112	100 x 4W E27 ST64 Filament LED Bulb 2700K - 4 watt E27 ST64 Filament LED Bulb 2700K - luminous flux 470 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 64 x 145mm - material glass - lifespan 25,000 hours - voltage 220-240V - SKU 00997	95€
	113	200 x 4W E27 ST64 Filament LED Bulb 2700K - 4 watt E27 ST64 Filament LED Bulb 2700K - luminous flux 470 lumen - light color warm white 2700K - beam angle 360° - dimensions Ø 64 x 145mm - material glass - lifespan 25,000 hours - voltage 220-240V - SKU 00997	185€
	114	100 x 4W E27 ST64 Amber Glass Filament LED Bulb 2000K - 4 watt E27 ST64 Amber Glass Filament LED Bulb 2700K - luminous flux 400 lumen - light color warm white 2000K - beam angle 360° - dimensions Ø 64 x 145mm - material glass - lifespan 25,000 hours - voltage 220-240V - SKU 00998	105€
	115	200 x 4W E27 ST64 Amber Glass Filament LED Bulb 2000K - 4 watt E27 ST64 Amber Glass Filament LED Bulb 2700K - luminous flux 400 lumen - light color warm white 2000K - beam angle 360° - dimensions Ø 64 x 145mm - material glass - lifespan 25,000 hours - voltage 220-240V -	200€







		SKU 00998	
	116	20 x 12W LED sand white Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand white wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00977	200€
	117	40 x 12W LED sand white Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand white wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00977	390€
	118	80 x 12W LED sand white Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand white wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00977	760€
	119	20 x 12W LED sand black Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting	200€



		included - suitable for indoors and outdoors - SKU 00976	
	120	40 x 12W LED sand black Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00976	390€
	121	40 x 12W LED sand black Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00976	390€
	122	100 x 12W LED sand black Wall lamp Cube duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp cube duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 100mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00976	940€
	123	20 x 12W LED sand white Wall lamp rectangular duo light adjustable waterproof - 12 watt 2x6W LED sand white wall lamp rectangular duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting -	220€



		dimensions. 170mm x 78mm x 70mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00980	
	124	40 x 12W LED sand white Wall lamp rectangular duo light adjustable waterproof - 12 watt 2x6W LED sand white wall lamp rectangular duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 170mm x 78mm x 70mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00980	420€
	125	20 x 12W LED sand black Wall lamp rectangular duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp rectangular duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 170mm x 78mm x 70mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00979	220€
	126	40 x 12W LED sand black Wall lamp rectangular duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp rectangular duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. 170mm x 78mm x 70mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00979	420€
	127	80 x 12W LED sand black Wall lamp rectangular duo light adjustable waterproof - 12 watt 2x6W LED sand black wall lamp rectangular duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED -	820€







		material aluminum - above and below lighting - dimensions. 170mm x 78mm x 70mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00979	
	128	20 x 12W LED sand white Wall lamp rectangular double duo light adjustable waterproof - 12 watt 4x3W LED sand white wall lamp rectangular double duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1200 lumen - COB LED - material aluminum - top and bottom lighting - dimensions. 170mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00982	340€
	129	40 x 12W LED sand white Wall lamp rectangular double duo light adjustable waterproof - 12 watt 4x3W LED sand white wall lamp rectangular double duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1200 lumen - COB LED - material aluminum - top and bottom lighting - dimensions. 170mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00982	670€
	130	20 x 12W LED sand black Wall lamp rectangular double duo light adjustable waterproof - 12 watt 4x3W LED sand black wall lamp rectangular double duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1200 lumen - COB LED - material aluminum - top and bottom lighting - dimensions. 170mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00981	340€







	131	40 x 12W LED sand black Wall lamp rectangular double duo light adjustable waterproof - 12 watt 4x3W LED sand black wall lamp rectangular double duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1200 lumen - COB LED - material aluminum - top and bottom lighting - dimensions. 170mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00981	670€
	132	80 x 12W LED sand black Wall lamp rectangular double duo light adjustable waterproof - 12 watt 4x3W LED sand black wall lamp rectangular double duo light adjustable - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1200 lumen - COB LED - material aluminum - top and bottom lighting - dimensions. 170mm x 100mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00981	1.300€
	133	20 x 12W LED sand black Wall lamp round duo light adjustable waterproof - 12 watt 2x6W LED sand black round duo light adjustable waterproof - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. Ø 140mm x 120mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00978	200€
	134	40 x 12W LED sand black Wall lamp round duo light adjustable waterproof - 12 watt 2x6W LED sand black round duo light adjustable waterproof - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. Ø 140mm x 120mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00978	390€








	135	80 x 12W LED sand black Wall lamp round duo light adjustable waterproof - 12 watt 2x6W LED sand black round duo light adjustable waterproof - seal IP65 waterproof - adjustable angle of the light beams - light color 3000K warm white - luminous flux 1160 lumen - COB LED - material aluminum - above and below lighting - dimensions. Ø 140mm x 120mm x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00978	760€
	136	20 x 9.5W LED Wall lamp curved sand black warm white waterproof - 9.5 watt LED Wall lamp curved design sand black warm white - light color 3000K warm white - luminous flux 500 lumen - SMD LED - IP54 waterproof - material aluminum and opal PC diffuser - dimensions 224 x 40 x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00724	245€
	137	20 x 15W LED Wall lamp curved design sand black warm white waterproof - 15 watt LED Wall lamp curved design sand black warm white - light color 3000K warm white - luminous flux 800 lumen - SMD LED - IP54 waterproof - material aluminum and opal PC diffuser - dimensions 262 x 145 x 85mm - voltage 220-240V - mounting included - suitable for indoor and outdoor use - SKU 00723	290€
	138	20 x 15W LED Wall lamp curved sand black warm white with sensor waterproof - 15 watt LED Wall lamp curved design sand black warm white - light color 3000K warm white with sensor - luminous flux 800 lumen - SMD LED - IP54 waterproof - material aluminum and opal PC diffuser - dimensions 262 x 145 x 85mm - with motion sensor extends 5-8m - the light duration is adjustable from 4 seconds to 4 minutes and the detection angle is 120 degrees - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00722	350€



	139	40 x 12W 3000K Surface-mounted Design LED Panels oval waterproof - 12 watt Surface-mounted Design LED Panels oval waterproof 3000K - luminous flux 840 lumen - light color warm white 3000K - waterproof IP54 - product color black and white - dimensions 210 x 105 x 42mm - material PC and ABS - mounting set included - lifespan 25,000 hours - voltage 220-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00605	165€
	140	40 x 12W 4000K Surface-mounted Design LED Panels oval waterproof - 12 watt Surface-mounted Design LED Panels oval waterproof 4000K - luminous flux 840 lumen - light color neutral white 4000K - waterproof IP54 - product color black and white - dimensions 210 x 105 x 42mm - material PC and ABS - mounting set included - lifespan 25,000 hours - voltage 220-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00606	165€
	141	40 x 12W 3000K Surface-mounted Design LED Panels round waterproof - 12 watt Surface-mounted Design LED Panels round waterproof 3000K - luminous flux 840 lumen - light color warm white 3000K - waterproof IP54 - product color black and white - dimensions Ø 190 x 48mm - material PC and ABS - mounting set included - lifespan 25,000 hours - voltage 220-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00607	185€
	142	40 x 12W 4000K Surface-mounted Design LED Panels round waterproof - 12 watt Surface-mounted Design LED Panels round waterproof 4000K - luminous flux 840 lumen - light color neutral white 4000K - waterproof IP54 - product color black and white - dimensions Ø 190 x 48mm - material PC and ABS - mounting set included - lifespan 25,000 hours - voltage 220-240V - beam angle 120° - flicker free - suitable for wall and ceiling - SKU 00608	185€







	143	20 x 10W LED Wall Lamp rotatable waterproof sand black - 10 watt LED Wall Lamp sand black rotatable waterproof - light color 3000K warm white - luminous flux 500 lumen - SMD LED - IP54 waterproof - head rotates up and down - material aluminum and opal PC diffuser - dimensions 160 x 47 x 100mm - voltage 220-240V - mounting included - suitable for indoors and outdoors - SKU 00725	10€
	144	40 x 7W LED sand black Garden lamp 30cm warm white - 7 watt LED sand black garden lamp 30cm warm white - light color 3500K warm white - luminous flux 650 lumen - COB LED - IP65 waterproof - material aluminum - dimensions. 300mm x 152mm x 57mm - voltage 220-240V - SKU00983	€
	145	80 x 7W LED sand black Garden lamp 30cm warm white - 7 watt LED sand black garden lamp 30cm warm white - light color 3500K warm white - luminous flux 650 lumen - COB LED - IP65 waterproof - material aluminum - dimensions. 300mm x 152mm x 57mm - voltage 220-240V - SKU00983	1.470€
	146	40 x 7W LED sand black Garden lamp 60cm warm white - 7 watt LED sand black garden lamp 60cm warm white - light color 3500K warm white - luminous flux 650 lumen - COB LED - IP65 waterproof - material aluminum - dimensions. 600mm x 152mm x 57mm - voltage 220-240V - SKU00984	950€
	147	80 x 7W LED sand black Garden lamp 60cm warm white - 7 watt LED sand black garden lamp 60cm warm white - light color 3500K warm white - luminous flux 650 lumen - COB LED - IP65 waterproof - material aluminum - dimensions. 600mm x 152mm x 57mm - voltage 220-240V - SKU00984	1.850€



	148	40 x 7W LED sand black garden lamp cylinder 60cm warm white - 7 watt LED sand black garden lamp cylinder 60cm warm white - light color 3500K warm white - luminous flux 650 lumen - COB LED - IP65 waterproof - material aluminum - Ø 90 x 600mm - voltage 220-240V - SKU 00985	940€
	149	24 x Garden lamp rectangular GU10 fitting sand black rotatable waterproof - Garden lamp rectangular GU10 fitting sand black rotatable waterproof - IP54 waterproof - dimensions. 160 x 100 x 500mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for outdoors - a bulb input - voltage 220-240V - max 35 watts - cube turns right left - Standing outdoor lamp - SKU 00702	520€
	150	48 x Garden lamp rectangular GU10 fitting sand black rotatable waterproof - Garden lamp rectangular GU10 fitting sand black rotatable waterproof - IP54 waterproof - dimensions. 160 x 100 x 500mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for outdoors - a bulb input - voltage 220-240V - max 35 watts - cube turns right left - Standing outdoor lamp - SKU 00702	1.020€
	151	100 x Garden lamp rectangular GU10 fitting sand black rotatable waterproof - Garden lamp rectangular GU10 fitting sand black rotatable waterproof - IP54 waterproof - dimensions. 160 x 100 x 500mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for outdoors - a bulb input - voltage 220-240V - max 35 watts - cube turns right left - Standing outdoor lamp - SKU 00702	1.990€
	152	24 x Garden lamp rectangular GU10 fitting sand black waterproof - Garden lamp rectangular GU10 fitting sand black waterproof - IP44 waterproof - dimensions. 139 x 90 x 500mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for	480€







		outdoors - a bulb input - voltage 220-240V - max 35 watts - cube fixed - Standing outdoor lamp - SKU 00886	
	153	48 x Garden lamp rectangular GU10 fitting sand black waterproof - Garden lamp rectangular GU10 fitting sand black waterproof - IP44 waterproof - dimensions. 139 x 90 x 500mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for outdoors - a bulb input - voltage 220-240V - max 35 watts - cube fixed - Standing outdoor lamp - SKU 00886	940€
	154	100 x Garden lamp rectangular GU10 fitting sand black waterproof - Garden lamp rectangular GU10 fitting sand black waterproof - IP44 waterproof - dimensions. 139 x 90 x 500mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for outdoors - a bulb input - voltage 220-240V - max 35 watts - cube fixed - Standing outdoor lamp - SKU 00886	1.850€
	155	40 x GU10 Ground spotlight round satin nickel - GU10 Ground spotlight round satin nickel - IP65 waterproof - material stainless steel stainless steel and glass - dimensions Ø 105mm x 135mm - voltage 220-240V - GU10 spotlight not included - mounting not included - suitable for indoors and outdoors - SKU 00891	270€
	156	100 x GU10 Ground spotlight round satin nickel - GU10 Ground spotlight round satin nickel - IP65 waterproof - material stainless steel stainless steel and glass - dimensions Ø 105mm x 135mm - voltage 220-240V - GU10 spotlight not included - mounting not included - suitable for indoors and outdoors - SKU 00891	650€







	157	40 x GU10 Ground spotlight round sand black - GU10 Ground spotlight round sand black - IP65 waterproof - material stainless steel stainless steel and glass - dimensions Ø 105mm x 135mm - voltage 220-240V - GU10 spotlight not included - mounting not included - suitable for indoors and outdoors - SKU 00890	270€
	158	40 x GU10 Ground spotlight square satin nickel - GU10 Ground spotlight square satin nickel - IP65 waterproof - material stainless steel stainless steel and glass - dimensions 105mm x 105mm x 135mm - voltage 220-240V - mounting not included - suitable for indoors and outdoors - GU10 spotlight not included - SKU 00889	290€
	159	40 x GU10 Ground spotlight square sand black - GU10 Ground spotlight square sand black - IP65 waterproof - material stainless steel stainless steel and glass - dimensions 105mm x 105mm x 135mm - voltage 220-240V - mounting not included - suitable for indoors and outdoors - GU10 spot not included - SKU 00888	290€
	160	40 x Wall lamp modern rectangular GU10 fitting sand black waterproof - Wall lamp modern rectangular GU10 fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 80 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00703	245€
	161	80 x Wall lamp modern rectangular GU10 fitting sand black waterproof - Wall lamp modern rectangular GU10 fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 80 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00703	480€










	162	40 x Wall lamp modern rectangular GU10 fitting sand white waterproof - Wall lamp modern rectangular GU10 fitting sand white waterproof - IP44 waterproof - dimensions. 92 x 68 x 80 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00883	245€
	163	40 x Wall lamp modern rectangular GU10 duo fitting sand black waterproof - Wall lamp modern rectangular GU10 duo fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 150 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00704	320€
	164	80 x Wall lamp modern rectangular GU10 duo fitting sand black waterproof - Wall lamp modern rectangular GU10 duo fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 150 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00704	620€
	165	40 x Wall lamp modern rectangular GU10 duo fitting sand white waterproof - Wall lamp modern rectangular GU10 duo fitting sand white waterproof - IP44 waterproof - dimensions. 92 x 68 x 150 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00884	320€







	166	20 x Wall lamp modern rectangular GU10 fitting sand black waterproof with sensor - Wall lamp modern rectangular GU10 fitting sand black waterproof with sensor - IP44 waterproof - with movement sensor - dimensions. 110 x 68 x 152 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00885	285€
	167	40 x Wall lamp modern half-round GU10 fitting sand black waterproof - Wall lamp modern half-round GU10 fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 80 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00880	235€
	168	40 x Wall lamp modern half-round GU10 duo fitting sand white waterproof - Wall lamp modern half-round GU10 duo fitting sand white waterproof - IP44 waterproof - dimensions. 92 x 68 x 150 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00881	295€
	169	40 x Wall lamp modern half-round GU10 duo fitting sand black waterproof - Wall lamp modern half-round GU10 duo fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 150 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00882	295€



	170	80 x Wall lamp modern half-round GU10 duo fitting sand black waterproof - Wall lamp modern half-round GU10 duo fitting sand black waterproof - IP44 waterproof - dimensions. 92 x 68 x 150 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00882	565€
	171	40 x Wall lamp Cylinder GU10 fitting sand black waterproof - Wall lamp Cylinder GU10 fitting sand black waterproof - IP54 waterproof - dimensions. Ø 64 x 95 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00892	255€
	172	80 x Wall lamp Cylinder GU10 fitting sand black waterproof - Wall lamp Cylinder GU10 fitting sand black waterproof - IP54 waterproof - dimensions. Ø 64 x 95 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00892	495€
	173	40 x Wall lamp Cylinder GU10 duo fitting sand black waterproof - Wall lamp Cylinder GU10 duo fitting sand black waterproof - IP54 waterproof - dimensions. Ø 64 x 165 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V - max 2 x 35 watts - SKU 00893	310€
	174	80 x Wall lamp Cylinder GU10 duo fitting sand black waterproof - Wall lamp Cylinder GU10 duo fitting sand black waterproof - IP54 waterproof - dimensions. Ø 64 x 165 mm - material aluminum and glass diffuser - mounting included - GU10 fitting - bulb not included - suitable for indoors and outdoors - 2 x bulb input - voltage 220-240V -	595€

		max 2 x 35 watts - SKU 00893	
	175	20 x Bedside lamp Wall lamp GU10 Luminaire cylinder sand black rotatable - Bedside lamp Wall lamp GU10 Luminaire cylinder sand black rotatable - with on/off button - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm cylinder head 75 x 140mm wall holder - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 20 watts - SKU 00941	145€
	176	20 x Bedside lamp Wall lamp GU10 Luminaire cylinder sand black and gold rotatable - Bedside lamp Wall lamp GU10 Luminaire cylinder sand black and gold rotatable - with on/off button - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm cylinder head 75 x 140mm wall holder - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 20 watts - SKU 00942	145€
	177	200 x 4.9W SMD LED Recessed spotlight 3000K matt white with lens - 4.9 watt SMD LED Recessed spotlight 3000K matt white with lens - luminous flux 370 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01045	10€
	178	500 x 4.9W SMD LED Recessed spotlight 3000K matt white with lens - 4.9 watt SMD LED Recessed spotlight 3000K matt white with lens - luminous flux 370 lumen - light color warm white 3000K - beam angle 38° - product color matt white - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not	625€







		included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01045	
	179	200 x 4.9W SMD LED Recessed spotlight 4000K matt white with lens - 4.9 watt SMD LED Recessed spotlight 4000K matt white with lens - luminous flux 370 lumen - light color neutral white 4000K - beam angle 38° - product color matt white - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01046	275€
	180	200 x 4.9W SMD LED Recessed spotlight 6000K matt white with lens - 4.9 watt SMD LED Recessed spotlight 6000K matt white with lens - luminous flux 370 lumen - light color daylight 6000 - beam angle 38° - product color matt white - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01047	275€
	181	200 x 4.9W SMD LED Recessed spotlight 3000K matt black with lens - 4.9 watt SMD LED Recessed spotlight 3000K with lens - luminous flux 370 lumen - light color warm white 3000K - beam angle 38° - product color matt black - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01012	275€
	182	500 x 4.9W SMD LED Recessed spotlight 3000K matt black with lens - 4.9 watt SMD LED Recessed spotlight 3000K with lens - luminous flux 370 lumen - light color warm white 3000K - beam angle 38° - product color matt black - round fixture tiltable - dimensions. ø 90 x 42 mm -	625€







		material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01012	
 	183	200 x 4.9W SMD LED Recessed spotlight 4000K matt black with lens - 4.9 watt SMD LED Recessed spotlight 4000K with lens - luminous flux 370 lumen - light color neutral white 4000K - beam angle 38° - product color matt black - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01013	275€
 	184	200 x 4.9W SMD LED Recessed spotlight 6500K matt black with lens - 4.9 watt SMD LED Recessed spotlight 6500K with lens - luminous flux 370 lumen - light color daylight 6500 - beam angle 38° - product color matt black - round fixture tiltable - dimensions. ø 90 x 42 mm - material PC and plastic - mounting set not included - installation diameter ø75 mm - lifespan 15,000 hours - voltage 220-240V (50/60hz) - SKU 01014	625€
 	185	100 x GU10 Recessed design fixture cylinder sand black with lamp holder - GU10 Recessed design fixture cylinder sand black with lamp holder - seal IP20 - product color sand black - dimensions. Ø 75 x 42mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00842 SKU353	265€
 	186	100 x GU10 Recessed design fixture cylinder sand white with lamp holder - GU10 Recessed design fixture cylinder sand white with lamp holder - seal IP20 - product color sand white - dimensions. Ø 75 x 42mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable	265€







		for indoors - a bulb input - voltage 220-240V - SKU 00843 SKU353	
	187	100 x GU10 Recessed design fixture cylinder sand white and black with lamp holder - GU10 Recessed design fixture cylinder sand white and black with lamp holder - seal IP20 - product color sand white black - dimensions. Ø 75 x 42mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00909 SKU353	265€
	188	100 x GU10 Recessed design fixture cylinder sand gold and black with lamp holder - GU10 Recessed design fixture cylinder sand gold and black - seal IP20 - product color sand gold black - dimensions. Ø 75 x 42mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00844 SKU353	265€
	189	100 x GU10 Recessed design fixture cylinder sand gold and white with lamp holder - GU10 Recessed design fixture cylinder sand gold and white with lamp holder - seal IP20 - product color sand gold white - dimensions. Ø 75 x 42mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00845 SKU353	265€
	190	100 x GU10 Recessed design fixture cylinder sand black with lamp holder - GU10 Recessed design fixture cylinder sand black with lamp holder - seal IP20 - product color sand black - dimensions. Ø 68 x 70mm - installation diameter ø 60mm - fitting GU10 - including ceramic lamp holder - light source bulb not included - material aluminum - suitable for indoors - a bulb input - voltage 220-	265€







		240V - SKU 00918 SKU353	
	191	100 x GU10 Recessed design fixture cylinder sand gold and black with lamp holder - GU10 Recessed design fixture cylinder sand gold and black with lamp holder - seal IP20 - product color sand gold black - dimensions. Ø 68 x 70mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00917 SKU353	265€
	192	100 x GU10 Recessed design fixture cylinder sand white with lamp holder - GU10 Recessed design fixture cylinder sand white with lamp holder - seal IP20 - product color sand white - dimensions. Ø 68 x 70mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00920 SKU353	265€
	193	100 x GU10 Recessed design fixture cylinder sand white and black with lamp holder - GU10 Recessed design fixture cylinder sand white and black with lamp holder - seal IP20 - product color sand white black - dimensions. Ø 68 x 70mm - installation diameter ø 60mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00919 SKU353	265€
	194	100 x GU10 Recessed design fixture cylinder sand black tiltable with lamp holder - GU10 Recessed design fixture cylinder sand black tiltable with lamp holder - seal IP20 - product color sand black - dimensions. Ø 96 x 30mm - installation diameter ø 75mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input -	310€








		voltage 220-240V - SKU 00840 SKU353	
	195	100 x GU10 Recessed design fixture cylinder sand white tiltable with lamp holder - GU10 Recessed design fixture cylinder sand white tiltable with lamp holder - seal IP20 - product color sand white - dimensions. Ø 96 x 30mm - installation diameter ø 75mm - material aluminum - fitting GU10 - including ceramic lamp holder - light source bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00841 SKU353	310€
	196	100 x GU10 recessed fixture sand black with lamp holder - GU10 recessed fixture sand black with lamp holder - seal IP20 - product color sand black - round fixture tiltable - dimensions. Ø 90 x 27mm - installation diameter ø 70mm - material iron - including ceramic lamp holder - light source bulb not included - suitable for indoors - SKU 00910 SKU353	105€
	197	200 x GU10 recessed fixture sand black with lamp holder - GU10 recessed fixture sand black with lamp holder - seal IP20 - product color sand black - round fixture tiltable - dimensions. Ø 90 x 27mm - installation diameter ø 70mm - material iron - including ceramic lamp holder - light source bulb not included - suitable for indoors - SKU 00910 SKU353	205€
	198	300 x GU10 recessed fixture sand black with lamp holder - GU10 recessed fixture sand black with lamp holder - seal IP20 - product color sand black - round fixture tiltable - dimensions. Ø 90 x 27mm - installation diameter ø 70mm - material iron - including ceramic lamp holder - light source bulb not included - suitable for indoors - SKU 00910 SKU353	295€



	199	50 x GU10 Recessed spotlight Cylinder sand black rotatable - GU10 Recessed spotlight Cylinder sand black rotatable spotlight - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - installation diameter ø 70mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00949	270€
	200	50 x GU10 Recessed Spotlight Cylinder Sand Black and Gold Rotatable - GU10 Recessed Spotlight Cylinder Sand Black and Gold Rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - installation diameter ø 70mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00950	270€
	201	50 x GU10 Recessed spotlight Cylinder sand white rotatable - GU10 Recessed spotlight cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 60 x 100mm - installation diameter ø 70mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00951	270€
	202	50 x GU10 Recessed spotlight Cylinder sand white and black rotatable - GU10 Recessed spotlight cylinder sand white and black rotatable - seal IP20 - product color sand white and black ring - dimensions. Ø 60 x 100mm - installation diameter ø 70mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00952	270€








	203	40 x GU10 Surface-mounted spotlight Cylinder sand black tiltable - GU10 Surface-mounted spotlight Cylinder sand black tiltable - seal IP20 - product color sand black - dimensions. Ø 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00933	250€
	204	80 x GU10 Surface-mounted spotlight Cylinder sand black tiltable - GU10 Surface-mounted spotlight Cylinder sand black tiltable - seal IP20 - product color sand black - dimensions. Ø 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00933	480€
	205	40 x GU10 Surface-mounted spotlight Cylinder sand white tiltable - GU10 Surface-mounted spotlight cylinder sand white tiltable - seal IP20 - product color sand white - dimensions. Ø 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00934	250€
	206	80 x GU10 Surface-mounted spotlight Cylinder sand white tiltable - GU10 Surface-mounted spotlight cylinder sand white tiltable - seal IP20 - product color sand white - dimensions. Ø 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00934	480€
	207	40 x GU10 Surface-mounted spotlight Fixture rectangular sand black tiltable - GU10 Surface-mounted spotlight Fixture rectangular sand black tiltable - seal IP20 - product color sand black - dimensions. 90 x 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input -	260€




		voltage 220-240V - SKU 00935	
	208	80 x GU10 Surface-mounted spotlight Rectangular sand black fixture, tiltable - GU10 Surface-mounted spotlight Rectangular sand black fixture, tiltable - seal IP20 - product color sand black - dimensions. 90 x 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00935	500€
	209	40 x GU10 Surface-mounted spotlight Fixture rectangular sand white tiltable - GU10 Surface-mounted spotlight Fixture rectangular sand white tiltable - seal IP20 - product color sand white - dimensions. 90 x 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00936	260€
	210	80 x GU10 Surface-mounted spotlight Rectangular sand white fixture, tiltable - GU10 Surface-mounted spotlight Rectangular sand white fixture, tiltable - seal IP20 - product color sand white - dimensions. 90 x 90 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00936	500€
	211	30 x GU10 Waterproof surface-mounted spotlight fixture cylinder sand white - GU10 waterproof surface-mounted spotlight fixture cylinder sand white - waterproof IP44 - product color sand white - dimensions. Ø 80 x 95mm - mounting included - material aluminum - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00332	225€








	212	30 x GU10 Waterproof surface-mounted spotlight fixture cylinder sand black - GU10 waterproof surface-mounted spotlight fixture cylinder sand black - waterproof IP44 - product color sand black - dimensions. Ø 80 x 95mm - mounting included - material aluminum - fitting GU10 - bulb not included - a bulb input - voltage 220-240V - SKU 00333	225€
	213	100 x GU10 Surface-mounted spotlight Fixture thin cylinder sand black - GU10 Surface-mounted spotlight Fixture thin cylinder sand black - seal IP20 - product color sand black - dimensions. Ø 55 x 100mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00833	200€
	214	40 x GU10 Surface-mounted spotlight Cylinder sand black rotatable - GU10 Surface-mounted spotlight cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 58.5 x 150mm - tiltable 180° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 20 watts - SKU 00898	260€
	215	40 x GU10 Surface-mounted spotlight Cylinder sand white rotatable - GU10 Surface-mounted spotlight cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 58.5 x 150mm - tiltable 180° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 20 watts - SKU 00899	260€
	216	30 x GU10 Surface-mounted spotlight Cylinder fixture sand white - GU10 Surface-mounted spotlight cylinder sand white fixture - seal IP20 - product color sand white - dimensions. Ø 90 x 140mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU	200€







		00336 0855	
	217	30 x GU10 Surface-mounted spotlight Cylinder sand black fixture - GU10 Surface-mounted spotlight cylinder sand black fixture - seal IP20 - product color sand black - dimensions. Ø 90 x 140mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V SKU 00337 0854	200€
	218	30 x GU10 Surface-mounted spotlight cylinder sand gold and black - GU10 Surface-mounted spotlight cylinder sand gold and black - seal IP20 - product color sand gold black - dimensions. Ø 90 x 140mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 0856	200€
	219	30 x GU10 Surface-mounted spotlight Cylinder fixture sand white and black - GU10 Surface-mounted spotlight cylinder sand white and black - seal IP20 - product color sand white black - dimensions. Ø 90 x 140mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 0940	200€
	220	20 x GU10 Surface-mounted spotlight Fixture rectangular dual fittings sand black tiltable - GU10 Surface-mounted spotlight Fixture rectangular dual fittings sand black tiltable - seal IP20 - product color sand black - dimensions. 180 x 96 x 125mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - SKU 00345	265€



	221	30 x GU10 Surface-mounted design fixture cylinder sand black 22cm - GU10 Surface-mounted design fixture cylinder sand black 22cm - seal IP20 - product color sand black - dimensions. Ø 55 x 220mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 0926	150€
	222	30 x GU10 Surface-mounted design fixture cylinder sand black 35cm - GU10 Surface-mounted design fixture cylinder sand black 35cm - seal IP20 - product color sand black - dimensions. Ø 55 x 350mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 0927	200€
	223	30 x GU10 Surface-mounted design fixture cylinder sand black 45cm - GU10 Surface-mounted design fixture cylinder sand black 45cm - seal IP20 - product color sand black - dimensions. Ø 55 x 450mm - mounting included - material aluminum - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 0928	200€
	224	30 x GU10 Decorative Hanging lamp cylinder sand black 30cm - GU10 Decorative Hanging lamp cylinder sand black 30cm - seal IP20 - product color sand black - dimensions. Ø 55 x 300mm - cable length 100cm - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00924	245€
	225	30 x GU10 Decorative Hanging lamp cylinder sand white 30cm - GU10 Decorative Hanging lamp cylinder sand white 30cm - seal IP20 - product color sand white - dimensions. Ø 55 x 300mm - cable length 100cm - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input -	245€







		voltage 220-240V - SKU 00925	
	226	30 x GU10 Decorative Hanging Lamp cylinder 24cm sand black - GU10 Decorative Hanging Lamp cylinder 24cm - seal IP20 - product color sand black - dimensions. Ø 55 x 240mm - cable length 100cm - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00894	180€
	227	60 x GU10 Decorative Hanging Lamp cylinder 24cm sand black - GU10 Decorative Hanging Lamp cylinder 24cm - seal IP20 - product color sand black - dimensions. Ø 55 x 240mm - cable length 100cm - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00894	350€
	228	30 x GU10 Decorative Hanging Lamp cylinder 24cm sand white - GU10 Decorative Hanging Lamp cylinder 24cm - seal IP20 - product color sand white - dimensions. Ø 55 x 240mm - cable length 100cm - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - SKU 00895	180€
	229	50 x GU10 Surface-mounted spotlight Cylinder sand black rotatable - GU10 Surface-mounted spotlight cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00945	275€






	230	100 x GU10 Surface-mounted spotlight Cylinder sand black rotatable - GU10 Surface-mounted spotlight cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00945	535€
 	231	50 x GU10 Surface-mounted spotlight Cylinder sand black and gold rotatable - GU10 Surface-mounted spotlight cylinder sand black and gold rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00946	275€
 	232	100 x GU10 Surface-mounted spotlight Cylinder sand black and gold rotatable - GU10 Surface-mounted spotlight cylinder sand black and gold rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00946	535€
	233	50 x GU10 Surface-mounted spotlight Cylinder sand white rotatable - GU10 Surface-mounted spotlight cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 60 x 100mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00947	275€











	234	50 x GU10 Surface-mounted spotlight Cylinder sand white and black rotatable - GU10 Surface-mounted spotlight cylinder sand sand white and black rotatable - seal IP20 - product color sand sand white and black ring - dimensions. Ø 60 x 100mm - rotatable 350° and tiltable 50° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 40 watts - SKU 00948	275€
	235	20 x GU10 Surface-mounted spotlight Fixture double cylinder sand black rotatable - GU10 Surface-mounted spotlight Fixture double cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - dimensions wall holder 220 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - max 40 watts - SKU 00953	215€
	236	20 x GU10 Surface-mounted spotlight Fixture double cylinder sand black and gold rotatable - GU10 Surface-mounted spotlight Fixture double cylinder sand black and gold rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - dimensions wall holder 220 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - max 40 watts - SKU 00954	215€
	237	20 x GU10 Surface-mounted spotlight Fixture double cylinder sand white rotatable - GU10 Surface-mounted spotlight Fixture double cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 60 x 100mm - dimensions wall holder 220 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting	215€









		GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - max 40 watts - SKU 00955	
	238	20 x GU10 Surface-mounted spotlight Fixture double cylinder sand white and black rotatable - GU10 Surface-mounted spotlight Fixture double cylinder sand white and black rotatable - seal IP20 - product color sand white and black ring size. Ø 60 x 100mm - dimensions wall holder 220 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - max 40 watts - SKU 00956	215€
	239	20 x GU10 Surface-mounted spotlight fixture triple cylinder sand black rotatable - GU10 Surface-mounted spotlight fixture triple cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - dimensions wall holder 390 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00957	315€
	240	20 x GU10 Surface-mounted spotlight fixture triple cylinder sand black and gold rotatable - GU10 Surface-mounted spotlight fixture triple cylinder sand black and gold rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - dimensions wall holder 390 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00958	315€











 	241	20 x GU10 Surface-mounted spotlight fixture triple cylinder sand white rotatable - GU10 Surface-mounted spotlight fixture triple cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 60 x 100mm - dimensions wall holder 390 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00959	315€
 	242	20 x GU10 Surface-mounted spotlight Fixture triple cylinder sand white and black rotatable - GU10 Surface-mounted spotlight Fixture triple cylinder sand white and black rotatable - seal IP20 - product color sand white and black ring - dimensions. Ø 60 x 100mm - dimensions wall holder 390 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00960	315€
 	243	20 x Round GU10 Surface-mounted spotlight Fixture triple cylinder sand black rotatable - Round GU10 Surface-mounted spotlight Fixture triple cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - size wall holder Ø 390 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00961	315€
 	244	20 x Round GU10 Surface-mounted spotlight Fixture triple cylinder sand black and gold rotatable - Round GU10 Surface-mounted spotlight Fixture triple cylinder sand black and gold rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - size wall holder Ø 390 x 25mm - rotatable 350°	315€











		and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00962	
 	245	20 x Round GU10 Surface-mounted spotlight Fixture triple cylinder sand white rotatable - Round GU10 Surface-mounted spotlight Fixture triple cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 60 x 100mm - size wall holder Ø 390 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00963	315€
 	246	20 x Round GU10 Surface-mounted spotlight Fixture triple cylinder sand white and black rotatable - Round GU10 Surface-mounted spotlight Fixture triple cylinder sand white and black rotatable - seal IP20 - product color sand white and black ring - dimensions. Ø 60 x 100mm - size wall holder Ø 390 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 40 watts - SKU 00964	315€
 	247	16 x GU10 Surface-mounted spotlight Fixture 4 cylinder sand black rotatable - GU10 Surface-mounted spotlight Fixture 4 cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 60 x 100mm - dimensions wall holder 600 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 4 x bulb input - voltage 220-240V - max 40 watts - SKU 00965	325€







	248	16 x GU10 Surface-mounted spotlight Fixture 4 cylinder sand black and gold rotatable - GU10 Surface-mounted spotlight Fixture 4 cylinder sand black and gold rotatable - seal IP20 - product color sand black and gold ring - dimensions. Ø 60 x 100mm - dimensions wall holder 600 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 4 x bulb input - voltage 220-240V - max 40 watts - SKU 00966	325€
	249	16 x GU10 Surface-mounted spotlight Fixture 4 cylinder sand white rotatable - GU10 Surface-mounted spotlight Fixture 4 cylinder sand white rotatable - seal IP20 - product color sand white ring - dimensions. Ø 60 x 100mm - dimensions wall holder 600 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 4 x bulb input - voltage 220-240V - max 40 watts - SKU 00967	325€
	250	16 x GU10 Surface-mounted spotlight Fixture 4 cylinder sand white and black rotatable - GU10 Surface-mounted spotlight Fixture 4 cylinder sand white and black rotatable - seal IP20 - product color sand white and black ring - dimensions. Ø 60 x 100mm - dimensions wall holder 600 x 60 x 25mm - rotatable 350° and tiltable 50° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 4 x bulb input - voltage 220-240V - max 40 watts - SKU 00968	325€
	251	50 x GU10 Surface-mounted spotlight Cylinder sand black rotatable - GU10 Surface-mounted spotlight cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU	195€





		00524	
	252	100 x GU10 Surface-mounted spotlight Cylinder sand black rotatable - GU10 Surface-mounted spotlight cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00524	380€
	253	20 x GU10 Surface-mounted spotlight Fixture double cylinder sand black rotatable - GU10 Surface-mounted spotlight Fixture double cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 55 x 100mm - dimensions wall holder 300 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - max 35 watts - SKU 00929	165€
	254	20 x GU10 Surface-mounted spotlight Fixture double cylinder sand white rotatable - GU10 Surface-mounted spotlight Fixture double cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 55 x 100mm - dimensions wall holder 300 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 2 x bulb input - voltage 220-240V - max 35 watts - SKU 00930	165€
	255	20 x GU10 Surface-mounted spotlight fixture triple cylinder sand black rotatable - GU10 Surface-mounted spotlight fixture triple cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 55 x 100mm - dimensions wall holder 450 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input -	245€

		voltage 220-240V - max 35 watts - SKU 00931	
 	256	20 x GU10 Surface-mounted spotlight fixture triple cylinder sand white rotatable - GU10 Surface-mounted spotlight fixture triple cylinder sand white rotatable - seal IP20 - product color sand white - dimensions. Ø 55 x 100mm - dimensions wall holder 450 x 50mm - rotatable 350° and tiltable 90° - material aluminum and iron - mounting included - fitting GU10 - bulb not included - suitable for indoors - 3 x bulb input - voltage 220-240V - max 35 watts - SKU 00932	245€
 	257	40 x GU10 Surface-mounted spotlight Cylinder sand black rotatable - GU10 Surface-mounted spotlight cylinder sand black rotatable - seal IP20 - product color sand black - dimensions. Ø 80 x 84mm - tiltable 180° and rotatable 360° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 20 watts - SKU 00922	215€
 	258	40 x GU10 Surface-mounted spotlight Cylinder sand white rotatable - GU10 Surface-mounted spotlight cylinder sand white rotatable - seal IP20 - product color sand black - dimensions. Ø 80 x 84mm - tiltable 180° and rotatable 360° - material aluminum - mounting included - fitting GU10 - bulb not included - suitable for indoors - a bulb input - voltage 220-240V - max 20 watts - SKU 00923	215€
 	259	40 x Rail spot GU10 Cylinder sand black fixture, rotatable - Rail spot GU10 Sand black fixture cylinder sand rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 58.5 x 150mm - rotatable 350° and tiltable 180° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00900	315€







	260	80 x Rail spot GU10 Cylinder sand black fixture, rotatable - Rail spot GU10 Sand black fixture cylinder sand rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 58.5 x 150mm - rotatable 350° and tiltable 180° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00900	615€
	261	40 x Rail spot GU10 Cylinder light sand white rotatable - Rail spot GU10 Cylinder light sand white rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white - dimensions. Ø 58.5 x 150mm - rotatable 350° and tiltable 180° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00901	10€
	262	50 x Rail spot GU10 Cylinder light sand white rotatable - Rail spot GU10 Cylinder light sand white rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white - dimensions. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00533	240€
	263	100 x Rail spot GU10 Cylinder light sand white rotatable - Rail spot GU10 Cylinder light sand white rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white - dimensions. Ø 55 x 100mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00533	470€








	264	40 x Rail spot GU10 Cylinder sand black fixture with ring rotatable - Rail spot GU10 Sand black cylinder fixture with ring rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 60 x 120mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00817	10€
	265	80 x Rail spot GU10 Cylinder sand black fixture with ring rotatable - Rail spot GU10 Sand black cylinder fixture with ring rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 60 x 120mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00817	425€
	266	40 x Rail spot GU10 Cylinder sand white fixture with ring rotatable - Rail spot GU10 Sand white cylinder fixture with ring rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 60 x 120mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00818	10€
	267	80 x Rail spot GU10 Cylinder sand white fixture with ring rotatable - Rail spot GU10 Sand white cylinder fixture with ring rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 60 x 120mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00818	425€



	268	40 x Rail spot GU10 Luminaire cylinder sand white with black ring rotatable - Rail spot GU10 Fixture cylinder sand white with black ring rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white and black - dimensions. Ø 60 x 120mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00902	215€
	269	80 x Rail spot GU10 Cylinder light sand white with black ring rotatable - Rail spot GU10 Cylinder light sand white with black ring rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white and black - dimensions. Ø 60 x 120mm - rotatable 350° and tiltable 90° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00902	425€
	270	40 x Rail spot GU10 Cylinder sand black fixture, rotatable - Rail spot GU10 Sand black fixture cylinder sand rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 80 x 84mm - rotatable 360° and tiltable 210° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00903	225€
	271	80 x Rail spot GU10 Cylinder sand black fixture, rotatable - Rail spot GU10 Sand black fixture cylinder sand rotatable - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions. Ø 80 x 84mm - rotatable 360° and tiltable 210° - material aluminum and PC - mounting included - fitting GU10 - bulb and rail not included - suitable for indoors - a bulb input - voltage 220-240V - max 35 watts - SKU 00903	440€



	272	30 x Rail spot GU10 Decorative Hanging lamp cylinder 24cm sand black - Rail spot GU10 Decorative Hanging lamp cylinder 24cm - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions Ø 55 x 240mm - material aluminum - cable length 100cm - fitting GU10 - bulb and rail not included - a bulb input - max 50 watts - voltage 220-240V - SKU 00896	10€
	273	60 x Rail spot GU10 Decorative Hanging lamp cylinder 24cm sand black - Rail spot GU10 Decorative Hanging lamp cylinder 24cm - suitable for 1 phase 2 wire rail - seal IP20 - product color sand black - dimensions Ø 55 x 240mm - material aluminum - cable length 100cm - fitting GU10 - bulb and rail not included - a bulb input - max 50 watts - voltage 220-240V - SKU 00896	350€
	274	30 x Rail spot GU10 Decorative Hanging lamp cylinder 24cm sand white - Rail spot GU10 Decorative Hanging lamp cylinder 24cm - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white - dimensions Ø 55 x 240mm - material aluminum - cable length 100cm - fitting GU10 - bulb and rail not included - a bulb input - max 50 watts - voltage 220-240V - SKU 00897	180€
	275	60 x Rail spot GU10 Decorative Hanging lamp cylinder 24cm sand white - Rail spot GU10 Decorative Hanging lamp cylinder 24cm - suitable for 1 phase 2 wire rail - seal IP20 - product color sand white - dimensions Ø 55 x 240mm - material aluminum - cable length 100cm - fitting GU10 - bulb and rail not included - a bulb input - max 50 watts - voltage 220-240V - SKU 00897	350€
	276	10 x 1 meter Rail for 1 phase 2 wire rail system with matt white connector - 1 meter rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included -	10€

		SKU 00906 SKU 0826	
	277	10 x 1 meter Rail for 1 phase 2 wire rail system with matt white connector - 1 meter rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00906 SKU 0826	65€
	278	20 x 1 meter Rail for 1 phase 2 wire rail system with matt white connector - 1 meter rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00906 SKU 0826	130€
	279	20 x 1 meter Rail for 1 phase 2 wire rail system with matt white connector - 1 meter rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00906 SKU 0826	130€
	280	30 x 1 meter Rail for 1 phase 2 wire rail system with matt white connector - 1 meter rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00906 SKU 0826	195€
	281	40 x 1 meter Rail for 1 phase 2 wire rail system with matt white connector - 1 meter rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00906 SKU 0826	255€

	282	10 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - seal IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	65€
	283	10 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - seal IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	65€
	284	20 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - seal IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	10€
	285	20 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - seal IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	130€
	286	20 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - seal IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	130€



	287	20 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - seal IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	130€
	288	40 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - sealing IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	255€
	289	40 x 1 METER RAIL FOR 1 PHASE 2 WIRE RAIL SYSTEM WITH CONNECTOR MATT BLACK - 1 meter rail for 1 phase 2 wire rail system with connector matt black - sealing IP20 - dimensions 1000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00905 SKU 0825	255€
	290	10 x 2 meters Rail for 1 phase 2 wire rail system with matt white connector - 2 meter Rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 2000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00908 SKU 0826	125€
	291	10 x 2 meters Rail for 1 phase 2 wire rail system with matt white connector - 2 meter Rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 2000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00908 SKU 0826	125€










	292	10 x 2 meters Rail for 1 phase 2 wire rail system with matt white connector - 2 meter Rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 2000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00908 SKU 0826	125€
	293	20 x 2 meters Rail for 1 phase 2 wire rail system with matt white connector - 2 meter Rail for 1 phase 2 wire rail system with matt white connector - IP20 seal - dimensions 2000 x 40 x 16mm - material aluminum - mounting not included - 220-240V - rail connector included - SKU 00908 SKU 0826	250€
	294	10 x L connection for 1 phase 2 wires rail system matt white - L connection for 1 phase 2 wires rail system matt white - sealing IP20 - rail not included - 220-240V - SKU 00828	18€
	295	10 x L connection for 1 phase 2 wires rail system matt white - L connection for 1 phase 2 wires rail system matt white - sealing IP20 - rail not included - 220-240V - SKU 00828	18€
	296	10 x L connection for 1 phase 2 wires rail system matt white - L connection for 1 phase 2 wires rail system matt white - sealing IP20 - rail not included - 220-240V - SKU 00828	18€
	297	10 x L connection for 1 phase 2 wires rail system matt black - L connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00827	18€








	298	10 x L connection for 1 phase 2 wires rail system matt black - L connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00827	18€
	299	10 x L connection for 1 phase 2 wires rail system matt black - L connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00827	18€
	300	10 x T connection for 1 phase 2 wires rail system matt white - T connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00830	20€
	301	10 x T connection for 1 phase 2 wires rail system matt white - T connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00830	20€
	302	10 x T connection for 1 phase 2 wires rail system matt black - T connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00829	20€
	303	10 x T connection for 1 phase 2 wires rail system matt black - T connection for 1 phase 2 wires rail system matt black - sealing IP20 - rail not included - 220-240V - SKU 00829	20€
	304	5 x X connection for 1 phase 2 wires rail system matt white -	10€



	305	10 x X connection for 1 phase 2 wires rail system matt white -	20€
	306	5 x X connection for 1 phase 2 wires rail system matt black -	10€
	307	10 x X connection for 1 phase 2 wires rail system matt black -	20€
	308	100 x GU10 recessed Ceramic Fitting Lamp holder - GU10 LED recessed Ceramic Fitting - material ceramic - mounting not included - suitable for indoors - voltage 220-240V - SKU 0353	35€
	309	200 x GU10 built-in Ceramic Fitting Lamp holder - GU10 LED built-in Ceramic Fitting - material ceramic - mounting not included - suitable for indoors - voltage 220-240V - SKU 0353	70€
	310	100 x 4.9W GU10 LED Spot 3000K - 4.9 watt GU10 LED Spot 3000K - SMD LED - luminous flux 425 lumen - light color warm white 3000K - beam angle 120° - product color white - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1036	70€
	311	100 x 4.9W GU10 LED Spot 4000K - 4.9 watt GU10 LED Spot 4000K - SMD LED - luminous flux 425 lumen - light color natural white 4000K - beam angle 120° - product color white - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours -	70€







		voltage 220-240v (50/60hz) - sku 1037	
	312	100 x 4.9W GU10 LED Spot 6000K - 4.9 watt GU10 LED Spot 6000K - SMD LED - luminous flux 425 lumen - light color daylight 6000K - beam angle 120° - product color white - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1038	70€
	313	100 x 4.9W GU10 LED Spot 3000K black - 4.9 watt GU10 LED Spot 3000K black - SMD LED - luminous flux 400 lumen - light color warm white 3000K - beam angle 120° - product color black - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1041	70€
	314	100 x 4.9W GU10 LED Spot 4000K black - 4.9 watt GU10 LED Spot 4000K black - SMD LED - luminous flux 400 lumen - light color natural white 4000K - beam angle 120° - product color black - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1042	70€
	315	100 x 6W GU10 LED Spot 3000K - 6 watt GU10 LED Spot 3000K - SMD LED - luminous flux 510 lumen - light color warm white 3000K - beam angle 120° - product color white - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1039	75€
	316	100 x 6W GU10 LED Spot 4000K - 6 watt GU10 LED Spot 4000K - SMD LED - luminous flux 510 lumen - light color natural white 4000K - beam angle 120° - product color white - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1040	75€







 	317	50 x 7W GU10 LED Spot 6000K - 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dimensions. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	40€
 	318	100 x 7W GU10 LED Spot 6000K - 7 watt GU10 LED Spot 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dimensions. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00622	75€
 	319	100 x 6W GU10 LED Spot 3000K black - 6 watt GU10 LED Spot 3000K black - SMD LED - luminous flux 510 lumen - light color warm white 3000K - beam angle 120° - product color black - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1043	75€
 	320	100 x 6W GU10 LED Spot 4000K black - 6 watt GU10 LED Spot 4000K black - SMD LED - luminous flux 490 lumen - light color natural white 4000K - beam angle 120° - product color black - dimensions. ø 50 x 60 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - sku 1044	75€
 	321	50 x 7W GU10 LED Spot Dimmable 6000K - 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dimensions. ø 50 x 55 mm - material PC - lifespan 25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	65€
 	322	100 x 7W GU10 LED Spot Dimmable 6000K - 7 watt GU10 LED Spot Dimmable 6000K - SMD LED - luminous flux 540 lumen - light color daylight 6000K - beam angle 120° - product color white - dimensions. ø 50 x 55 mm - material PC - lifespan	130€







		25,000 hours - voltage 220-240v (50/60hz) - SKU 00662	
	323	100 x 4.9W GU10 LED Spot Dimmable 3000K - 4.9 watt GU10 LED Spot Dimmable 3000K - SMD LED - luminous flux 425 lumen - light color warm white 3000K - beam angle 120° - product color white - dimensions. ø 50 x 55 mm - material PC - lifespan 15,000 hours - voltage 220-240v - SKU 01001	125€
	324	100 x 4.9W GU10 LED Spot Dimmable 4000K - 4.9 watt GU10 LED Spot Dimmable 4000K - SMD LED - luminous flux 425 lumen - light color neutral white 4000K - beam angle 120° - product color white - dimensions. ø 50 x 55 mm - material PC - lifespan 15,000 hours - voltage 220-240v - SKU 01002	125€
	325	100 x 7W GU10 LED Spot Dimmable with lens 3000K - 7 watt GU10 LED Spot Dimmable with lens 3000K - SMD LED - luminous flux 495 lumen - light color warm white 3000K - beam angle 38° - product color white - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1003	150€
	326	100 x 7W GU10 LED Spot Dimmable with lens 4000K - 7 watt GU10 LED Spot Dimmable with lens 4000K - SMD LED - luminous flux 500 lumen - light color neutral white 4000K - beam angle 38° - product color white - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1004	150€
	327	100 x 7W GU10 LED Spot Dimmable with lens 6500K - 7 watt GU10 LED Spot Dimmable with lens 6500K - SMD LED - luminous flux 500 lumen - light color daylight 6500K - beam angle 38° - product color white - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1005	150€

	328	<p>100 x 4.9W GU10 LED Spot 3 Steps On/Off dimming with lens 3000K - 4.9 watt GU10 LED Spot Dimmable with lens 3000K - dimming without dimmer - Steps ON/OFF dimming 100% 370lm, 50% 165lm, 15% 37lm - SMD LED - luminous flux 370 lumen - light color warm white 3000K - beam angle 38° - product color white - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1006</p>	120€
	329	<p>100 x 4.9W GU10 LED Spot 3 Steps On/Off dimming with lens 4000K - 4.9 watt GU10 LED Spot Dimmable with lens 4000K - dimming without dimmer - Steps ON/OFF dimming 100% 370lm, 50% 165lm, 15% 37lm - SMD LED - luminous flux 370 lumen - light color neutral white 4000K - beam angle 38° - product color white - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1007</p>	120€
	330	<p>100 x 4.9W GU10 LED Spot Dimmable with lens 3000K black - 4.9 watt GU10 LED Spot Dimmable with lens 3000K - SMD LED - luminous flux 365 lumen - light color warm white 3000K - beam angle 38° - product color black - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v - SKU 01008</p>	150€
	331	<p>100 x 4.9W GU10 LED Spot Dimmable with lens 4000K black - 4.9 watt GU10 LED Spot Dimmable with lens 4000K - SMD LED - luminous flux 370 lumen - light color neutral white 4000K - beam angle 38° - product color black - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v - SKU 01009</p>	150€

	332	<p>100 x 4.9W GU10 LED Spot 3 Steps On/Off dimming with lens 3000K black - 4.9 watt GU10 LED Spot Dimmable with lens 3000K - dimming without dimmer - Steps ON/OFF dimming 100% 370lm, 50% 165lm, 15% 37lm - SMD LED - luminous flux 370 lumen - light color warm white 3000K - beam angle 38° - product color black - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1010</p>	120€
	333	<p>100 x 4.9W GU10 LED Spot 3 Steps On/Off dimming with lens 4000K black - 4.9 watt GU10 LED Spot Dimmable with lens 4000K - dimming without dimmer - Steps ON/OFF dimming 100% 370lm, 50% 165lm, 15% 37lm - SMD LED - luminous flux 370 lumen - light color neutral white 4000K - beam angle 38° - product color black - dimensions. ø 50 x 54 mm - material PC - lifespan 15,000 hours - voltage 220-240v (50/60hz) - SKU 1011</p>	120€
	334	<p>2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 3000K - 20 meters 5.5W/m SMD Neon LED Strip waterproof 3000K - 120 LED/meter - light color warm white 3000K - IP65 waterproof - size 20m - per 1 meter or more can be shortened - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 - sku 391</p>	85€
	335	<p>2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 4000K - 20 meters 5.5W/m SMD Neon LED Strip waterproof 4000K - 120 LED/meter - light color neutral white 4000K - IP65 waterproof - size 20m - per 1 meter or more can be shortened - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 - sku 392</p>	85€



	336	2 x 20 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 20 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - luminous flux 130 lumen/meter - light color daylight 6000K - IP65 waterproof - size 20m - per Can be shortened by 1 meter or more - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 - sku 393	85€
	337	2 x 50 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 50 meters 5.5W/m SMD Neon LED Strip waterproof 6000K - 120 LED/meter - light color daylight 6000K - IP65 waterproof - size 50m - per 1 meter or more. to be shortened - 3 neon strip plugs included - lifespan 30,000 hours - voltage 220-240 V - SMD 2835 - sku 397	185€
	338	5 x Neon LED Strip plug - Neon LED Strip plug - LED strip not included - sku 415	5€
	340	10 x Neon LED Strip plug - Neon LED Strip plug - LED strip not included - sku 415	10€